

Contents

Volume 1

PART I SOME PRELIMINARIES

1 Structural principles in the classification of binary adducts	3
1.1 Introduction	4
1.2 Structural classification of binary adducts	5
1.2.1 General considerations	5
1.2.2 Molecular complexes	6
1.2.2.1 Inclusion complexes	6
1.2.2.2 Moieties within molecules	9
1.2.2.3 Frameworks with guest participation and/or linkage	9
1.2.2.4 Segregated stack charge transfer complexes	9
1.2.2.5 Packing complexes	10
1.2.3 Molecular compounds	10
1.3 Other classifications	10
1.4 How many binary adducts are there?	11
1.5 Organic and inorganic supramolecular chemistry	12
References	12
2 Historical outline	15
References	19

PART II MOIETIES WITHIN MOLECULES

Introduction to Part II

3 The enclosure species – crown ethers, cryptands and related molecules – as hosts	27
3.1 Introduction	28
3.2 Doubly bridged cyclophanes and analogous molecules as hosts for intramolecular guests	30
3.3 Cleft molecules as hosts	44
3.3.1 Single-cleft hosts	44
3.3.2 Double-cleft hosts	47
3.4 Container molecules as hosts	48
3.4.1 Introduction	48

3.4.2	Cavitands and caviplexes	48
3.4.3	Hemispherands and hemispheraplexes	50
3.4.4	Triply bridged cyclophanes and analogous molecules as three-dimensional hosts for intramolecular guests	51
3.4.5	Spherands and spheraplexes	59
3.4.6	Carcerands and carceplexes	59
3.5	Hemicarcerands and hemicarceplexes	61
3.5.1	Overview	61
3.5.2	The taming of cyclobutadiene, and of <i>o</i> -benzyne	64
3.5.3	Molecular mechanics and dynamics studies on the complexation and decomplexation processes	66
3.6	Comparisons of concepts	67
	References	68
4	Cyclodextrins, and some analogs, as hosts	73
4.1	Introduction	74
4.2	α -Cyclodextrins as host	79
4.2.1	α -Cyclodextrin as host in clathrate inclusion complexes	80
4.2.2	α -Cyclodextrin as host in tunnel inclusion complexes	84
4.2.3	Chemically modified α -cyclodextrins as hosts in inclusion complexes	90
4.3	β -Cyclodextrins as host	95
4.3.1	β -Cyclodextrin as host in clathrate inclusion complexes	97
4.3.2	β -Cyclodextrin as host in tunnel inclusion complexes	100
4.3.3	Exceptional β -cyclodextrin structures	114
4.3.4	Chemically modified β -cyclodextrins as hosts in inclusion complexes	114
4.4	Rotaxanes and catenanes of cyclodextrins	117
4.5	γ -Cyclodextrins as host	118
4.5.1	γ -Cyclodextrin as host in clathrate inclusion complexes	118
4.5.2	γ -Cyclodextrin as host in tunnel inclusion complexes	119
4.5.3	Chemically modified γ -cyclodextrins as hosts in inclusion complexes	122
4.6	Larger cyclodextrins	123
4.7	Cyclic oligosaccharides as cyclodextrin analogs	123
	References	124
5	Crystal chemistry of some DNA oligonucleotides and their complexes	133
5.1	Introduction	134
5.2	Fundamentals of oligonucleotide structure	136
5.2.1	General aspects	136
5.2.2	Single crystal x-ray diffraction studies of oligonucleotides	140
5.3	Crystal chemistry of oligonucleotides and oligonucleotide-guest structures	142
5.3.1	Polymorphism, isomorphism, and heteromorphism	142

5.3.2 Phase rule relationships	143
5.3.3 Applications of these concepts	144
5.4 Intercalated hexanucleotide-drug complexes with B-DNA structures	145
5.4.1 The anthracycline drugs	145
5.4.2 Nogalamycin and derivatives	151
5.4.3 The 9-aminoacridine drugs	154
5.4.4 Native hexanucleotides and comparison of crystal structures	156
5.5 Isomorphism and polymorphism of A-DNA octanucleotides and the binding of spermine	158
5.5.1 Octameric oligonucleotides	158
5.6 Minor groove binders	167
5.6.1 Drug molecules that enter the minor groove	167
5.6.2 Decameric oligonucleotides	171
5.6.3 Polymorphs or intermediate phases? An example from the decanucleotides	178
5.6.4 Dodecameric oligonucleotides	183
5.7 General survey of the crystal chemistry of oligonucleotide and oligonucleotide-drug complexes	187
References	189

PART III HOST-GUEST INCLUSION COMPLEXES

Introduction to Part III

6 Tunnel inclusion complexes formed by hosts of lesser versatility	203
6.1 Introduction	204
6.2 Tunnel inclusion complexes with directionally bonded hosts	206
6.2.1 Urea, thiourea and selenourea as hosts	206
6.2.1.1 Introduction	206
6.2.1.2 Types of guest in hexagonal urea inclusion complexes	207
6.2.1.3 Guests which give rhombohedral urea inclusion complexes	208
6.2.1.4 Guests which give rhombohedral thiourea inclusion complexes	209
6.2.1.5 Hermann's comprehensive structural model	210
6.2.1.6 Diffraction patterns from tunnel inclusion complexes	212
6.2.1.7 Hexagonal urea tunnel inclusion complexes	215
6.2.1.8 Determination of guest molecule conformation from diffuse x-ray scattering	218

6.2.1.9	Variation of structure with temperature, with particular reference to {3(urea)·[1/4(<i>n</i> -hexadecane)]}	219
6.2.1.10	Interruption of urea framework by host–guest hydrogen bonding	227
6.2.1.11	Rhombohedral urea, thiourea and selenourea tunnel inclusion complexes	231
6.2.1.12	Monoclinic complexes derived from the rhombohedral complexes	235
6.2.1.13	Behavior of some rhombohedral inclusion complexes on cooling	236
6.2.1.14	The orthorhombic Type 4 urea tunnel inclusion complexes	245
6.2.1.15	The hypothetical Type 5 orthorhombic tunnel inclusion complexes	245
6.2.1.16	The crystal structure of selenourea and its relation to the structures of its tunnel inclusion complexes	247
6.2.1.17	Thermodynamics of the formation of the tunnel inclusion complexes	247
6.2.2	The Bishop–Dance hosts – <i>exo</i> -2, <i>exo</i> -6-dihydroxy-2,6-dimethylbicyclo[3.3.1]nonane and analogs	251
6.2.2.1	Introduction	251
6.2.2.2	The helical tubular structures	251
6.2.2.3	The ellipsoidal tetragonal clathrate complexes of some Bishop–Dance hosts	264
6.2.2.4	Derived structures	267
6.2.3	Ta ₄ P ₄ S ₂₉ – an inorganic framework containing sulphur chains	268
6.2.4	The tunnel hydrates	269
6.2.4.1	Tunnel hydrates with several water molecules per tunnel cross-section	269
6.2.4.2	Tunnel hydrates with one water molecule per tunnel cross-section	271
6.3	Tunnel inclusion complexes with van der Waals bonded hosts	272
6.3.1	Tunnel inclusion and other complexes of deoxycholic acid and related compounds	272
6.3.2	Substituted spirocyclophosphazenes as hosts	291
6.3.3	Triptycene – a C ₆₂ H ₃₈ hydrocarbon of D _{3h} symmetry with three U-shaped bays	297
6.3.4	<i>trans-anti-trans-anti-trans</i> -Perhydrotriphenylene as host	298
6.3.5	N-(<i>p</i> -tolyl)tetrachloro-phthalimide as host	307
6.4	Comparison of the various types of tunnel inclusion complexes	310
	References	311
7	Clathrate inclusion complexes formed by hosts of lesser versatility	321
7.1	Introduction	323
7.2	Directionally bonded hosts	323

7.2.1	Quinol (hydroquinone, 1,4-dihydroxybenzene) as host	323
7.2.1.1	Crystal structures of quinol polymorphs and β -quinol clathrates	323
7.2.1.2	Low temperature phase transitions in β -quinol clathrates	331
7.2.1.3	Introduction to statistical thermodynamics of clathrate structures and application to the quinol clathrates	333
7.2.2	Crystal structure of $\{(6\text{H}_2\text{O})\cdot[\text{hexamethylene tetramine}]\}$	345
7.2.3	Clathrates derived from existing structures	346
7.2.3.1	Helium hexahydrate	346
7.2.3.2	Cadmium cyanide clathrates	347
7.2.4	Overview of the polyhedral clathrates (including metalloid structures, clathrasils, gas hydrates, clathrate and semiclathrate hydrates)	348
7.2.4.1	Historical and general introduction	348
7.2.4.2	Restrictions on the shapes of the polyhedra	353
7.2.4.3	Packing of pentagonal dodecahedra	355
7.2.5	Metalloid structures	360
7.2.6	Clathrasils	363
7.2.7	Gas hydrates (structures with pentagonal dodecahedra)	370
7.2.7.1	Relation between guest type and structure type in the gas hydrates	370
7.2.7.2	Stoichiometry and thermodynamics of the gas hydrates	372
7.2.7.3	Prototype CS-I and CS-II crystal structures at low temperatures	379
7.2.7.4	$\text{Br}_2\cdot 8\cdot 6\text{H}_2\text{O}$ is the only bromine hydrate, and the implications of this result	381
7.2.7.5	Gas hydrates with charged frameworks (ionic clathrate hydrates)	383
7.2.8	Peralkylonium hydrates and related structures	383
7.2.8.1	Introduction	383
7.2.8.2	Structures based on the CS-I structure	384
7.2.8.3	Structures based on the CS-II structure	385
7.2.8.4	Structures based on the HS-II structure	385
7.2.8.5	Structures based on the HS-I structure and its superstructure SHS-I	385
7.2.8.6	Structures based on the OS-I structure	387
7.2.8.7	Structures based on the TS-I structure	387
7.2.8.8	The effectiveness of the alkyl substituents in forming hydrates	389
7.2.9	Varieties of structures formed by a particular guest	389
7.2.10	The alkylamine hydrates	389
7.2.11	Structures without pentagonal dodecahedra (some with charged frameworks)	392

7.3	Hosts with a combination of directional bonds and van der Waals interactions	396
7.3.1	Phenol (and related compounds) as hosts	396
7.3.1.1	Phenol	396
7.3.1.2	Guayacanine as host	398
7.3.2	Dianin's compound (4- <i>p</i> -hydroxyphenyl-2,2,4-trimethylchroman) and related compounds as hosts	399
7.4	Van der Waals linked hosts	406
7.4.1	Tetraphenylene as host	406
7.5	Hexahosts and related compounds	408
7.6	Conclusions and a perspective view	410
	References	411
8	Inclusion complexes formed by versatile hosts	421
8.1	Introduction	423
8.2	Tri- <i>o</i> -thymotide and analogs as hosts	423
8.2.1	Crystallography of tri- <i>o</i> -thymotide and its complexes	423
8.2.1.1	The trigonal clathrate inclusion complexes	425
8.2.1.2	The hexagonal tunnel inclusion complexes	429
8.2.1.3	Tunnel inclusion complexes with organometallic guests	431
8.2.1.4	Crossed tunnel triclinic inclusion complexes	433
8.2.1.5	Miscellaneous inclusion complexes	435
8.2.2	Analogues of tri- <i>o</i> -thymotide	436
8.3	Trimesic acid and analogs as hosts	437
8.3.1	Introduction	437
8.3.2	Host-guest tunnel inclusion complexes based on noncatenated unary hexagonal networks	437
8.3.2.1	TMA as host	437
8.3.2.2	Two coordination complexes as potential hosts	443
8.3.3	Host-guest tunnel inclusion complexes based on catenated hexagonal unary networks	446
8.3.4	Host-guest clathrate interstitial inclusion complexes based on catenated hexagonal unary networks	448
8.3.5	Generalization of the concept of "interruption" to give binary networks	448
8.3.5.1	TMA·H ₂ O networks	449
8.3.5.2	Catenated neutral binary networks	450
8.3.5.3	Ionic binary networks	450
8.3.6	Hydrogen-bonded TMA binary complexes	452
8.4	The Heilbron complexes	456
8.5	Gossypol and its inclusion complexes	459
8.6	Tris(5-acetyl-3-thienyl)methane (TATM) as host	469
8.6.1	Introduction	469
8.6.2	Chemistry of TATM and its inclusion complexes	469
8.6.3	Conformations taken up by the TATM molecule in the various crystallographic structure types	470
8.6.4	Crystallography of the inclusion complexes of TATM	474

8.6.5	Formation of the inclusion complexes	476
8.6.6	Dynamics of guest molecules in the complexes	477
8.6.7	Other examples	477
8.6.8	Summary	477
8.7	(5,10,15,20)-Tetraphenylmetalloporphyrins and complexes	478
8.7.1	Introduction	478
8.7.2	Crystallography of (5,10,15,20)- tetraphenylmetalloporphyrin <i>coordination</i> complexes	480
8.7.2.1	Introduction	480
8.7.2.2	The four-coordinate coordination complexes	481
8.7.2.3	The five-coordinate coordination complexes	483
8.7.2.4	The six-coordinate coordination complexes	486
8.7.3	Crystallography of (5,10,15,20)- tetraphenylmetalloporphyrin <i>inclusion</i> complexes	493
8.7.3.1	Crystallography of four-coordinate (5,10,15,20)- tetraphenylmetalloporphyrin <i>inclusion</i> complexes	493
8.7.3.2	Crystallography of five-coordinate (5,10,15,20)- tetraphenylmetalloporphyrin <i>inclusion</i> complexes	500
8.7.3.3	Crystallography of six-coordinate (5,10,15,20)- tetraphenylmetalloporphyrin <i>inclusion</i> complexes	502
8.7.4	Comparative crystallography of the (5,10,15,20)- tetraphenylmetalloporphyrin coordination and inclusion complexes	505
8.7.5	Questions of nomenclature and description	506
8.7.6	Can “sponge” structures be inferred from the chemical nature of the second component?	507
	References	508
9	Intercalation complexes	515
9.1	Introduction	516
9.2	Intercalation complexes of graphite (GICs)	517
9.2.1	Introduction	517
9.2.2	Alkali metals as guests (preparation at atmospheric pressure)	520
9.2.3	Alkali metals as guests (preparation at high pressures)	532
9.2.4	Alkaline earth and lanthanide metals as guests	533
9.2.5	Halogens as guests	533
9.2.6	Uses, actual and potential, of GICs	539
9.2.7	Summary for GICs	539
9.3	Intercalation complexes of inorganic hosts	540
9.3.1	Introduction	540
9.3.2	2H- β -TaS ₂ as host	540
9.3.3	Zirconium phosphates and phosphonates as hosts	546

9.4 Concluding summary	552
References	552

PART IV PACKING COMPLEXES

Introduction to Part IV

10 Packing complexes	563
10.1 Introduction	564
10.2 Components are isomers of various types	565
10.3 The (stereoisomeric) components are enantiomers	566
10.3.1 Background	566
10.3.2 Types of binary phase diagram found with enantiomers as components	568
10.3.3 Formation of conglomerates	569
10.3.4 Comparing the stability of enantiomorphs and racemic compounds	571
10.3.5 The structural chemistry of systems with isolatable enantiomers	574
10.3.5.1 Components are rigid molecules	574
10.3.5.2 Complications due to conformational isomerism of component molecules	577
10.3.6 Enantiomorphs and racemic compounds of nonisolatable conformers	582
10.3.7 Racemic enantiomorphs	584
10.3.8 Solid solutions of enantiomers	585
10.4 The (stereoisomeric) components are diastereoisomers	590
10.4.1 Background	590
10.4.2 Diastereoisomers as components	590
10.4.3 Conformers as components	592
10.4.4 <i>Cis-trans</i> isomers as components	597
10.4.5 Cocrystallization of tautomers	600
10.4.6 Interallagon complexes	603
10.5 Components are positional isomers	605
10.6 Components have different chemical compositions	605
10.6.1 Substitutional solid solutions	605
10.6.1.1 Conditions for formation	605
10.6.1.2 The information desired	607
10.6.2 Systems with complete (or a wide range of) mutual miscibility	608
10.6.3 Some binary phase diagrams involving phases (primary and intermediate) with extensive composition ranges	615
10.6.3.1 Dibenzyl – <i>trans</i> -stilbene	615
10.6.3.2 Diphenyl sulphoxide–diphenyl sulfone	615
10.6.3.3 <i>p</i> -Dibromobenzene– <i>p</i> -diiodobenzene	617
10.6.3.4 <i>p</i> -Dibromobenzene– <i>p</i> -chloronitrobenzene	617

10.6.3.5	Benzoic acid– <i>p</i> -fluorobenzoic acid	617
10.6.3.6	1,2-4,5-Tetrachlorobenzene–1,2-4,5-tetrabromobenzene	617
10.6.4	Evidence for nonrandom substitution in primary solid solutions	618
10.6.4.1	(<i>trans</i> -Stilbene)–diphenylmercury and tolane–diphenylmercury	618
10.6.4.2	2,3-Dimethylnaphthalene–anthracene	620
10.6.5	Inhomogeneity of some solid solution crystals	620
10.7	Interblock solid solubility	622
10.8	Primary <i>interstitial</i> solid solutions	622
10.9	Ordered packing complexes	623
10.9.1	Metal coordination complexes	623
10.9.1.1	Components of different composition and configuration but in the same oxidation state	624
10.9.1.2	Components with different compositions, configurations and oxidation states	624
10.9.1.3	The components are oligomers	624
10.9.2	Complexes in which a moiety plays more than one structural role	625
10.9.3	Miscellaneous packing complexes	628
10.9.3.1	Packing complexes without specific interactions	628
10.9.3.2	Packing complexes with incipient specific interactions	634
10.9.3.3	Packing complexes of the fullerenes C ₆₀ -I _h , C ₇₀ -d _{5h} ⁶ and C ₇₆	634
	References	667
	Book index	[1]

Volume 2

PART V MOLECULAR COMPOUNDS WITH LOCALIZED INTERACTIONS

Introduction to Part V

11 Donor–acceptor molecular compounds (essentially localized interactions)	683
11.1 Introduction and classification	684

Part 1: Pure acceptors

11.2 n-Donors and s-acceptors	687
11.2.1 N, O, S containing ligands as donors and AgI salts as acceptors	687

11.3	n-Donors and σ^* -acceptors	688
11.3.1	N, O, S or Se containing donors and dihalogens or halogenated molecules as acceptors	688
11.3.2	S containing molecules as donors and iodine molecules as acceptors (the polyiodines)	706
11.3.3.	Physical measurements on molecular compounds of the type discussed above	708
11.3.4	Halogenated molecules as donors and dihalogens as acceptors	712
11.3.5	Self-complexes – N, O, S, Se to halogen interactions in one-component systems	713
11.4	n-Donors and p-acceptors	717
11.4.1	N, O or S containing ligands as donors and Group VA metal halides as acceptors	717
11.5	n-Donors and π^* -acceptors	723
11.6	π -Donors and σ^* -acceptors	727
11.6.1	Aromatic molecules as donors and dihalogens as acceptors	727
11.6.2	Aromatic molecules as donors and polyhalogenated methanes as acceptors	731
11.7	π -Donors and p-acceptors	733
11.7.1	Aluminum tribromide as an acceptor	733
11.7.2	Miscellany-mainly MX_3 (M = As, Sb; X = Cl, Br) as acceptors and aromatic molecules as donors	734
11.8	π -Donors and (localized) π^* -acceptors	736

Part 2: Self-interacting acceptors

11.9	n-Donors and s-acceptors	737
11.9.1	N, O, S containing ligands as donors and AgI salts as acceptors	737
11.9.2	N, O, S containing ligands as donors and HgX_2 (X = Cl, Br, I) as acceptors	739
11.10	n-Donors and p-acceptors	761
11.10.1	N, O, S containing ligands as donors and MX_3 (M = As, Sb; X = Cl, I) as acceptors	761
11.11	π -Donors and s-acceptors	764
11.11.1	Aromatics as donors and Ag(I) salts as acceptors; also {benzene \cdots CuAlCl $_4$ }	765
11.11.2	Olefins as donors and Ag(I) salts as acceptors	777
11.11.3	Some general structural principles emerging from Sections 11.11.1 and 11.11.2	783
11.11.4	Acetylides as donors and Ag(I) salts as acceptors	784
11.11.5	Acetylides as donors and Cu(I) salts as acceptors	784
11.11.6	Aromatics as donors and Hg(II) salts as acceptors	786
11.12	π -Donors and p-acceptors	788

11.12.1	Aromatics as donors and MX_3 ($\text{M} = \text{Sb}, \text{Bi};$ $\text{X} = \text{Cl}, \text{Br}$) as acceptors	788
11.12.2	Aromatics as donors and np^3 metal ions ($\text{Ga}^{\text{I}}, \text{In}^{\text{I}}, \text{Tl}^{\text{I}}, \text{Sn}^{\text{II}}, \text{Pb}^{\text{II}}$) as acceptors	822
11.13	Summary	836
	References	836
12	Hydrogen bonded molecular complexes and compounds	851
12.1	Introductory survey	852
12.1.1	Introduction	852
12.1.2	The characteristic features of hydrogen bonds	853
12.2	Application of graph theory to the description of hydrogen bond patterns	861
12.3	Statistics of hydrogen bond patterns	862
12.3.1	Methodology	863
12.3.2	Statistics of ring formation	864
12.4	Appendage structures (one component forms a hydrogen bonded framework, to which the second component is appended by hydrogen bonding)	864
12.5	Alternating framework structures (the components, in hydrogen-bonded alternating array, form a mixed framework)	867
12.5.1	Zero-dimensional frameworks	867
12.5.1.1	Structures with discrete pairs (A–B) of components	867
12.5.1.2	Structures with discrete triples (B–A–B) of components	877
12.5.1.3	Larger discrete groupings of components	881
12.5.2	One-dimensional frameworks (linear chains of alternating components)	884
12.5.2.1	Component A has two donor groups and the single acceptor of component B can accept two hydrogen bonds	885
12.5.2.2	Component A has two hydrogen bond donor groups and component B two acceptor groups	889
12.5.2.3	Both components have both hydrogen bond donor and acceptor functions	893
12.5.3	Two-dimensional frameworks (layer arrangements of alternating components)	896
12.5.4	Three-dimensional frameworks (arrangements of alternating components in space)	901
12.5.5	Accounting for formation of a molecular compound	904
12.6	Crystal engineering with hydrogen bonds	905
12.7	Charged or neutral moieties – when is there hydrogen transfer between the components?	908
	References	911

PART VI MOLECULAR COMPOUNDS WITH
DELOCALIZED INTERACTIONS

Introduction to Part VI

13 Charge transfer molecular compounds with delocalized π-π^* interactions – introduction and general survey	925
13.1 Introduction and historical development	926
13.2 Classification	927
13.2.1 General considerations	927
13.2.2 Intramolecular π -compounds and self-complexes	930
13.3 Chemical nature of donors and acceptors	932
13.3.1 Introduction	932
13.3.2 Donors	933
13.3.3 Acceptors	935
13.3.4 Quasi-acceptors	939
13.3.5 Ionization potentials of donors and electron affinities of acceptors	940
13.3.6 Determination of degree of charge transfer	944
13.4 Binary and quasi-binary donor–acceptor systems	948
13.4.1 Phase diagrams	948
13.4.2 Component ratios in binary donor–acceptor systems	952
13.5 Ternary π -molecular compounds	953
References	954
14 Layered molecules with intra-molecular donor–acceptor interactions	959
14.1 Introduction	959
14.2 Molecules of the paracyclophane type	961
14.2.1 Molecules derived from [<i>n.n</i>]paracyclophanes	961
14.2.2 Systems related to [<i>n.n</i>]paracyclophanes	972
14.2.3 Multi-layered systems	974
14.3 Molecules of the metaparacyclophane type	976
14.4 Molecules of the metacyclophane type	980
14.5 Some other systems	984
14.6 Concluding summary	986
References	986
15 Crystal chemistry of mixed-stack π-π^* molecular compounds	989
15.1 Introduction	990
15.2 Nonstacked structures containing structural groups of limited size	993
15.3 The crystallochemical families found for 1:1 π - π^* molecular compounds	994

15.4	Packing arrangements in $n:m$ $\pi-\pi^*$ molecular compounds	1001
15.5	Some special features of packing arrangements in $\pi-\pi^*$ molecular compounds	1005
15.5.1	Crystals where one of the components is also found in interstitial positions	1005
15.5.2	Noncentrosymmetric crystals of π -molecular compounds	1007
15.5.3	Acceptors based on polynitrofluorene	1009
15.5.4	Resolution of helicenes by formation of diastereoisomeric charge transfer molecular compounds with enantiomeric acceptors	1010
15.6	Structurally important interactions between polarizable and polar groups	1011
15.7	Mixed-stack crystals with both charge transfer and hydrogen bonding interactions	1013
15.7.1	The quinhydrones as a crystallochemical family	1013
15.7.2	Molecular compounds of the flavins	1022
15.7.3	Other crystals with both charge transfer and hydrogen bonding interactions	1026
15.8	Mixed-stack crystals with both delocalized and localized charge transfer interactions	1030
15.9	Donors and acceptors with special chemical features	1032
15.9.1	Fluorinated aromatics as quasi-acceptors	1032
15.9.2	1,3,5,7-tetramethyluric acid (TMU) as quasi-acceptor	1040
15.9.3	Acceptor is a metal coordination complex	1040
15.9.4	Donor is a metal coordination complex	1042
15.9.5	Donors based on phenazine	1044
15.10	Mixed-stack donor-acceptor molecular compounds with ionized ground states	1047
15.10.1	Mixed-stack closed-shell charge transfer salts	1047
15.10.2	Ion-radical salts	1048
15.11	Isomeric (polymorphic) molecular compounds	1052
15.11.1	Type 1 – isomerism due to different types of interaction without change of moiety structure	1052
15.11.2	Type 2 – isomerism due to electron transfer	1054
15.11.3	Type 3 – isomerism due to proton transfer or to $\pi-\pi^*$ electron transfer	1055
15.11.4	Isomerism stabilized by both charge ($\pi-\pi^*$) and proton transfer (CPT compounds)	1058
15.12	Self-complexes	1059
15.13	Conclusions	1064
15.13.1	Structural variety in $\pi-\pi^*$ molecular compounds	1064
15.13.2	How should the packing arrangements in $\pi-\pi^*$ molecular compounds be described?	1065

15.13.3 Structural consequences of π - π^* interactions	1066
References	1068
(Note. The components in the ground states of these molecular compounds are taken to be neutral unless explicitly stated otherwise).	
16 Crystal (structural) physics of mixed stack π-π^* molecular compounds	1081
16.1 Introduction	1082
16.2 Thermodynamic parameters	1083
16.3 Spectroscopic measurements on the excited state	1086
16.4 Crystals with disorder \Rightarrow order transformations on cooling – modern treatments of second order phase transitions	1090
16.4.1 General introduction	1090
16.4.2 The Ehrenfest order of a phase transition	1091
16.4.3 Landau theory of phase transitions	1092
16.4.4 The critical exponents	1093
16.4.5 The permitted symmetries of a low symmetry phase derived from a particular high symmetry phase	1094
16.4.6 Temperature dependence of the order parameter	1096
16.4.7 Pressure dependence of the critical temperature for ordering	1097
16.5 Thermodynamic, structural and kinetic investigations of various systems showing second order transitions on cooling	1097
16.5.1 The crystal structure of {Pyrene \cdots PMDA}(PYRPMA) and evidence for an order \Leftrightarrow disorder phase transition at \approx 160K	1097
16.5.2 The crystal structure of {Naphthalene \cdots TCNB} and evidence for an order \Leftrightarrow disorder phase transition at 72K	1105
16.5.3 The crystal structure of {Anthracene \cdots TCNB} and evidence for an order \Leftrightarrow disorder phase transition at \approx 213K	1115
16.5.4 Other examples of second order transitions	1119
16.6 Crystals with first order transformations on cooling	1120
16.6.1 {Cycl[3.2.2]azine \cdots TNB}	1120
16.6.2 Other examples	1122
16.7 Physical nature of the disordered phase	1122
16.8 Transformation to quasi-plastic phase(s) on heating	1126
16.9 Transformation of the ground state from neutral \Rightarrow ionic on cooling and/or application of pressure (NI transitions)	1128
16.9.1 Introduction	1128
16.9.2 {TTF \cdots chloranil}	1129
16.9.3 {DMTTF \cdots chloranil}	1137
16.9.4 Other examples	1139
16.9.5 Concluding summary	1142
References	1142

17 Segregated stack π-molecular complexes	1147
17.1 Introduction	1148
17.2 Chemistry of donors and acceptors that participate in segregated stacks	1151
17.2.1 Introduction	1151
17.2.2 Donors	1152
17.2.3 Acceptors	1157
17.2.4 Preparation of crystals	1161
17.3 Structures of cation-radical salts	1162
17.3.1 Introduction	1162
17.3.2 Cations are polycyclic aromatic hydrocarbons	1163
17.3.3 TTF and related compounds as cations	1167
17.3.4 TMPD salts containing π -dimerized cation radicals	1175
17.4 Structures of TCNQ anion-radical salts	1177
17.4.1 Mutual arrangements of approximately plane-parallel TCNQ moieties	1177
17.4.2 Structures with stacks of limited length	1180
17.4.3 TCNQ anion radical salts in which the cations are metals	1187
17.4.4 Stacked structures with $-e$ average charge on the TCNQ moieties	1189
17.4.5 Stacked structures with $-0.8e$ average charge on the TCNQ moieties	1192
17.4.6 Stacked structures with $-2/3e$ average charge on the TCNQ moieties	1193
17.4.7 Stacked structures with $-0.5e$ average charge on the TCNQ moieties	1196
17.4.8 Stacked structures with $-0.4e$ average charge on the TCNQ moieties	1202
17.4.9 Systems studied over a wide range of temperatures	1205
17.4.10 Conclusions drawn from a survey of structural results for TCNQ anion radical salts	1211
17.5 Other anion-radical salts	1214
17.5.1 Alkali-metal chloranil salts	1214
17.5.2 $M(\text{dmit})_2$ and $M(\text{mnt})_2$ as anion radicals in various guises	1215
17.6 Structures of cation-radical anion-radical salts	1220
17.6.1 General survey	1220
17.6.2 Cation : anion ratio 1 : 1; monad stacks	1220
17.6.3 Cation : anion ratio 1 : 1; diad stacks	1227
17.6.4 Cation : anion ratio 2 : 1 or 1 : 2; monad stacks	1229
17.6.5 Cation : anion ratio 2 : 1 or 1 : 2; diad stacks	1230
17.7 Electron density studies of segregated stack complexes	1232

17.8	Theoretical studies of some segregated stack complexes	1234
17.9	Studies of {[TTF][TCNQ]} and some related materials	1235
17.10	Concluding summary	1252
	References	1253
	Appendix	1267
	Book index	[1]

Book Index

Some notes:

1. Although there is no separate Author Index, names of prominent personalities are indexed together with some leading references.
2. Many, but not all, crystal structures mentioned in the text are indexed. CSD Refcodes are given where possible.
3. Information given in the overall and chapter Tables of Contents is only partially duplicated here.

Acceptors

- Chelates as acceptors 937
- Pure 685
- Self-interacting 685
 - Ag(I) salts 686, 765–784
 - HgX₂ 739–761
 - MX₃ (M = Bi, Sb; X = Cl, Br) 686, 788–822

Acronyms in common use 933

Anion radical salts

- TCNQ anion radical salts 1177–1214
- Chloranil as anion radical 1214
- M(dmit)₂ and M(mnt)₂ as anion radicals 1215

o-Benzyne 65

Binary adducts

- Definition 4
- How many? 11
- Other classifications 10
- Structural classification 5, 7

Catenanes and catenation 33, 325, 447

Cation radical salts 1162–1177

- Cations are aromatic hydrocarbons 1163–1167
- TMPD dimer as cation radical 1175–1177
- TTF as cation radical 1167–1175

Cell dimensions as a function of temperature

- Anthracene...TCNB (ANTCYB) 1116
- CS-I ethylene oxide hydrate 375
- Cycl[3.2.2]azine...TNB 1121
- d(CGCGAATTCGCG)₂ 184
- DMTTF...CA 1138
- Naphthalene...TCNB (NAPTCB) 1106
- Pyrene...PMDA (PYRPA) 1101
- (TEA)(TCNQ)₂ 1206
- thiourea.(cyclohexane) 240
- [TTF][CA] 1130
- [TTF][DETCNQ] 1244

[TTF][TCNQ] 1243

urea.(n-hexadecane) 221

Chemical formulae

- 9-Aminoacridine-4-carboxamide 154
 - Bikhaconine derivatives 614
 - Bipyridinium 32
 - Bishop-Dance hosts 252–264
 - Budesonide 591
 - Cholic acid and derivatives 273
 - Cis*- π -camphanic acid 570
 - Cyclophanes 960
 - Cyclotriphosphazenes 292–297
 - Daunomycin (daunorubicin), adriamycin (doxorubicin), idarubicin 146
 - Dehydroeriolanin 614
 - Dianin's compound 399
 - Diquat 32
 - Glaucolide-D 615
 - Gossypol 460
 - Heilbron host (DHDK) 456
 - Inosine 165
 - Minor groove binders 168–171
 - N*-(*p*-tolyl)tetrachlorophthalimide (TTP) 307
 - Nogalomycin 151
 - Paraquat 32
 - Perhydrotriphenylene (PHTP) 299
 - Pyridine-2-carbaldehyde oxime 443
 - Pipitzol 591
 - Spermine, spermidine 158
 - TADRIZ (formula 10.25) 592
 - 1,2,3,4-tetrahydroxybutane-1,1-dicarboxylic acid 445
 - Tri-*o*-thymotide 423
 - Tris(5-acetyl-3-thienyl)methane (TATM) 470
 - Zeyloxanthone 291
- ## Chiral recognition
- Tri-*o*-thymotide complexes 429
- ## Clathrasils 363–370

- Clathrates
 Dianin's compound and analogs as hosts 399–406
 Hexahosts 408–410
 Phenol and analogs as hosts 396–399
 Polyhedral clathrates 348
 Quinol 323–345
 Tetraphenylene as host 406–408
 Constitutional isomers and stereoisomers 565
 Crystal chemistry
 comparison of cyclodextrin, oligonucleotide and TPP complexes 142
 Crystal data and structures
 (Acridine)₂...PMDA (BIWVUY) 991
 Anthracene...PMDA (ANTPML) 1088
 Anthracene...TCNB (ANTCYB) 1108
 {benzene...AgAlCl₄} (SALBEN) 775
 {benzene...AgClO₄} (AGPCGE) 768
 benzene...Br₂ (BENZBR) 727
 Benzene...CuAlCl₄ (BZCACT) 776
 Bifluorenylidene...perylene (CUNZAK) 632
 Bifluorenylidene...pyrene (CUNWUD) 632
 Br₂·8H₂O 381
 Caviplexes 49
 Coronene...I₂ (DUPCIA) 730
 18-crown-6.[nitromethane] (DIZTIP) 31
 {[5,6-Dihydro-4a,6a-phenanthrolium]₂ [(1,4,5,8-naphthalenetetracarboxylic anhydride)] (VARKEE10) 1193
 {1,4-Dithiane.2I₂} (DTHINI) 696
 {3(Dioxane)...AgClO₄} (AGPDOX) 687
 Diphenyl...2SbBr₃ (PYRSBB) 791
 Diphenyl...2SbCl₃ (BIPHSB) 791
 (Fluorene)₃... (TNB)₄ (ZZZAGP02) 1006
 Layered cyclophanes (BUZROD, BICFAU, CECTIN, DALTOZ, DALVER, DAVHAI, DEBZEP) 967–982
 Naphthalene...2SbCl₃ (NAPSBC) 803
 Naphthalene...TCNB (NAPTCB) 1107
 (Perylene) 3.Bi4Br12 (ZUVTAL) 816–819
 Phenanthrene...2SbBr₃ (DEJYEW) 802
 Phenazine...I₂ (PHNAZI01) 689
 Pyrene...2SbBr₃ (PYRABR) 794
 {Quinuclidine...CBr₄} (FEGYEV) 696
 {S₈...SbCl₃} 763
 {3S₈...CHI₃} (IFOSUL) 702
 (tolane...4SbCl₃) ZOQWUX 807
 bis-*p*-phenylene-34-crown-10 BPP(3n + 4) Cn
 crown ethers 34
 neat compound (FIKVEA) 32
 neat compound (KOLMAZ) 33
 paraquat complexes 33
 Pyrene-benzoquinone (PYRBZQ) 994
 Pyrene...PMDA at 19K (PYRPMA) 1100
 Spectroscopy 1087
 Tetraaza[3.3.3.3]paracyclophane 2,11,20,29-tetramethyl-2,11,20,29- tetraaza[3.3.3.3] paracyclophane complexes 41
 (TMA.TCNQ.I) (MATCQI) 1211
 Triphenylene-perfluorotriphenylene (CUKXIP) 1037
 Urea.[hexadecane] 217, 221, 225, 229
 Crystal structure analysis
 Views of Cram and Maverick 24
 Applied to DNA oligomers 140
 Applied to intercalation complexes 517
 Diffraction patterns from tunnel inclusion complexes 213
 Reduced cells, value for comparisons 461, 1204
 Cyclobutadiene 64
 Cyclodextrins, 74
 Aqueous solubilities 74
 Chemically-modified hosts 90–94
 Formation of complexes 76
 Head and tail (definition) 79
 Larger cyclodextrins 123
 Oligosaccharide analogs 123
 Preparation (schematic) 75
 Solution thermodynamics 79
 Statistics of types of complex 78
 Use of polycrystalline samples for identification and structure solution 78
 α-Cyclodextrins
 chemically-modifieds, as hosts in clathrate complexes 80–84
 hydrates 81–82
 tunnel complexes 84–90
 β-Cyclodextrins
 chemically-modifieds, as hosts 114
 clathrate complexes 97
 hydrates 96
 pyrene-octanol complex 110
 tunnel complexes 100
 dimer formation 100
 overall structural description 111
 unusual structures 114
 γ-Cyclodextrins
 chemically-modifieds, as hosts 122
 clathrate complexes 118
 hydrates 118
 tunnel complexes 119
 Cyclophanes, doubly-bridged, as hosts 30
 Cyclophanes, layered
 Circular dichroism spectra 978
 Charge-transfer bands in layered cyclophanes 959–961, 983–984
 Meta-para 976–980
 Meta 980–984
 Multi-layered para 974–976
 Para 959–974

- Definitions
- A-, B- and Z-DNA conformations 136, 138
 - Adaptability 200
 - Anti-isomorphous 90
 - Anti structures 1184, 1229
 - Binary adducts 4
 - Binding site pre-organization 28
 - Carcerands 59
 - Catenanes 33
 - Clathrates 8
 - Conglomerates 567, 569
 - Container molecules 48, 58
 - Dimensionality 7
 - Enantiomers 566
 - Enantiotropic and monotropic 931
 - Enclosure species 28
 - Cavitands 48
 - Cleft molecules as hosts 44
 - Crown ethers 32
 - Cryptophanes as hosts 54
 - Cyclophanes as hosts 30
 - General formulation 52
 - Hemicarcerands 61
 - Heteromorphism 143
 - Heterosoric, homosoric and nonsoric 925
 - Host-guest complementarity 28
 - Hydration numbers (neutral structures) 357
 - Hydration numbers (charged structures) 383
 - Inclusion complexes 6, 28
 - Interalligon complexes 603
 - Intercalation complexes (GICs) 518
 - Ionic and neutral ground states, factors determining 928–931
 - Isomorphic and isostructural 143
 - Long range order 1091
 - Moieties within molecules 9
 - Molecular complexes 6
 - Molecular compounds 10
 - Oligonucleotide-drug complexes
 - Intercalation complexes 134
 - Minor-groove complexes 135
 - Order of phase transition (Ehrenfest) 1091
 - Packing complexes 10
 - Polyfunctionality 200
 - Polymorphism 142, 265
 - Pseudo-rotaxanes 33
 - Racemate and racemic 567
 - Rotaxanes 33, 40
 - Self complexes 931, 1059–1064
 - Sohncke space groups 446
 - Spherands 59
 - Stacks (monad, diad etc) 1176
 - Staging (intercalation complexes) 516
 - Structural parsimony 824
 - Supermolecule, supramolecular 23
 - Tubulates, helical and cylindrical 205
 - Types of triclinic unit cells 481
 - Versatility 200
 - Weber-Josel nomenclature 11
- DNA structures and fundamentals 136, 140
- Books 135
 - Conformations of A, B, Z forms 138
 - Low-temperature structures down to 12K 184
 - Minor and major grooves 139
 - Mixed A- and B-DNA conformations 187
 - Necessary to include effect of solvent 135
 - Nucleic acids database 135, 141
 - Phase rule relationships 143
 - Polymorphs or intermediate phases? 142, 178
 - Watson-Crick base pairing 136
- Donors-acceptor interactions
- Aromatics to halogens 727–733
 - Aromatics to Ag(I) salts 765–777
 - Benzene-AgClO₄ (AGPCBE) 768
 - Aromatics to MX₃
 - (M = Sb, Bi, X = Cl, Br) 788–822
 - Aromatics to np³ metal ions 822–836
 - N, O, S ligands to HgCl₂ and HgBr₂ 739–761
 - Six coordinate Hg(II) 740–750
 - Five coordinate Hg(II) 750–754
 - Four coordinate Hg(II) 754–761
 - Olefins to Ag(I) salts 777–783
- Electron affinities of acceptors 940–943
- Chelates as acceptors 939
- Electron donors–chemical types 934–935
- Coordination complexes 1042–1044
 - Ionization potentials (first) 940–942
 - Phenazine based 1044–1047
 - Polarization energy 933
- Enantiomorph-racemate pairs,
- Comparing stability 571–574
 - Non-mimetic 574
 - Mimetic 575
- Fullerene packing complexes 634–667
- C₆₀ and calix[n]arenes 650–655
 - C₇₆-(S₈)₆ 642
 - (Ferrocene)₂-C₆₀ 639
 - (Ferrocene)₂-C₇₆ 639
 - Fullerenes and porphyrins 663–667
- Gas hydrates
- Bromine hydrate structure 381
 - CSI structure type 357
 - CSII structure type 359
 - HSIII structure type 358
 - Low temperature structures 379
 - Packing of pentagonal dodecahedra 355

- Gas hydrates (*cont.*)
 Potential fuel reserves 349
 Siberian pillar 350
 Stoichiometry and thermodynamics 372–379
- Gossypol complexes 459–469
 Polymorphism 460
- Graphite intercalation complexes (GIC) 515–539
 Degree of charge transfer 528
 Dense alkali-metal GICs 533
 Electron spectroscopy 529
 Halogens as guests 533–539
 Preparation 520
 Staging (classical and “non-classical”) 525
 Structures of 1bar alkali-metal GICs 520–525
 Thermodynamics 526
- Heat capacity as function of temperature
 Anthracene...TCNB 1105
 Naphthalene...TCNB 1105
 Naphthalene...TCNE 1122
 Pyrene...PMDA 1098
 [TTF][DETCNQ] 1245
- Heilbron complexes 456–459
- Hexahosts 408–410
- Highly oriented pyrolytic graphite (HOPG) 518
- Hilfsgassen 364
- Historical background to binary adducts
 General 15, 18
 GICs 517
- Hosts not found unsolvated
 DCA 273
 TATM 469
 DHDK 456
- Hydrogen bonding
 Accounting for formation of pair 904
 Appendage structures 864–866
 Formic acid–HF 864
 Books on 853
 Charged components give salts 868, 908–911
 Crystal engineering with, an example 905–908
 Definition of n-centered 854–855
 Directionality of acceptor lone pairs 858–860
 Discrete D...A...D triples 877–881
 Donors and acceptors 853
 Early examples in binary adducts 853
 Graph theory applied to 861
 Mixed framework type 866, 876, 882, 890
 Molecular recognition 871–875
 Rebek’s diacid 874
 Neutral components give molecular
 compounds 868, 908–911
 Phase relations 861, 891, 899
 Ribbons and tapes 884–886, 894–896
 Statistical surveys of H-bonded binary
 adducts 857–860
- Three-dimensional frameworks 901–904
 Use in enantiomer separation 875–877
 Types of ring formed 863
 Weak H-bonds 860–861
- Inclusion complexes 199–202
- Interrupted hydrogen bonding
 In 1,1'-binaphthyl-2,2'-dicarboxylic acid and
 other complexes 886–888
 In urea complexes 229
 In TMA complexes 441
- Intramolecular π -complexes 929
- Melanophlogite 364
- Metalloid structures of the gas hydrate type 360–363
- Mimetic complexes 723
- Mixed stack π - π^* molecular compounds
 First order neutral to ionic phase transformation
 on cooling 1129
 Second order disorder to order phase
 transformations on cooling 1090–1126
 Thermodynamics 1083–1086
 Transformation to quasi-plastic phases on
 heating 1124–1126
- Moiety filling two structural roles 500, 627
 Pentachlorophenol 870
 Perylene 1162
 Pyrazine 872–873
 TCNQF₄ 1182
 [TMTTF]_{1,3} [TCNQ] 1229
- Molecular complexes (isomeric, polymorphic) 724,
 1052
- Molecular compounds 10
 Charge transfer in π , estimating degree
 of 944–948
 Families of 1:1 mixed stack π 996–1000
 Doubled stack periodicity 1001–1002
- Molecular mechanics 66
- Molecular recognition 23
- Molecular tweezers 44–47
- Mössbauer effect
¹²⁹I 708, 710, 729, 730
- Nuclear quadrupole resonance
¹²⁷I 708, 729
³⁵Cl of HgCl₂ molecular compounds 760
³⁵Cl and ¹²¹Sb and ¹²³Sb of MX₃ (M = Sb, Bi;
 X = Cl, Br) molecular compounds 819
- Nucleic acids database (NDB) 141
- Organic racemates, statistical survey 567
- Packing complexes 10
 Of fullerenes 634

- Parallel intercalators in DNA oligomers
 Anthracyclines 145
 Nogalamycins 151
 9-aminoacridines 154
- Personalities and some leading references
 Amma, E. L. 765, 823
 Atwood, J. L. 19
 Cram, D. J. 9, 10
 Cramer, F. 17
 Crick, F. H. C. 134
 Davidson, D. W. 371
 Davy, H. 15
 Desiraju, G. R. 12, 17
 Dickerson, R. E. 140, 171, 183, 184
 Dyadin, Yu A. 334, 350
 Faraday, M. 15
 Harata, K. 75, 86, 95
 Harris, K. D. M. 4, 8, 206
 Hassel, O. 17, 688, 741
 Herbstein, F. H. 795, 819, 1097
 Jeffrey, G. A. 349
 Kennard, O. 149, 164
 Kitaigorodskii, A. I. 740
 Kochi, J. K. 723, 728, 736, 738
 Lehn, J. M. 9, 11, 17
 Mavridis, I. M. 93, 113
 Menshutkin, B. N. 761, 788
 Mootz, D. 789
 Mulliken, R. S. 16, 685
 Nassimbeni, L. R. 67
 Neidle, S. 136
 Pedersen, C. J. 9, 19, 23, 24
 Pfeiffer, P. 16
 Powell, H. M. 8, 17, 823
 Priestley, Joseph 15
 Rich, A. 149
 Ripmeester, J. A. 381, 474, 1112
 Saenger, W. 30, 86
 Schlenk, W. Jr. 206
 Schmidtbaur, H. 686, 736, 773, 777, 804, 823
 Shakked, Z. 162
 Shibaeva, R. P. 1184
 Stackelberg, M. von 7
 Steiner, T. 98
 Stezowski, J. J. 1053, 1088
 Stoddart, J. F. 32, 44
 Strouse, C. E. 478
 Sundaralingam, M. 156, 166, 178
 Tsoucaris, G. 90
 Torrance, J. B. 928
 Vos, A. 1188, 1201
 Waals, J. H. van der 334
 Wallwork, S. C. 1192, 1204
 Wang, A.H.-J. 149, 162
 Watson, J. D. 134
 Wöhler, F. 17
 Wudl, F. 1148, 1149, 1232
- Phase diagrams
 ACA (apocholic acid)–montanic acid 275
 Anthracene–2,3-dimethylnaphthalene 620
 o-Bromoaniline–picric acid 1057
 Carbazole–trinitrofluorenone 948
 (\pm)-Carvoxime 581
 (\pm)-*Cis*- π -camphanic acid 570
 Dibenzyl–*trans*-stilbene 612
 (+) and (–) 2,4-Dioxo-3,3-diethyl-5-methylpiperidine 587
 Diphenyl sulphoxide–diphenyl sulphone 615
 Diphenylamine–SbCl₃ 795
 Enantiomers 568
 Fluoranthene–(TNB/TNF) 950
 (Phenanthrene/anthracene)–picric acid 949
 PHTP–*n*-heptane 300
 PHTP–*trans*-stilbene 300
 Pyrene–(TNB/TNF) 950
 Pyrene-(various mixed acceptors) 951
 SO₂ – H₂O 378
Sym-tetrabromobenzene–hexabromobenzene 629
Sym-tetrachlorobenzene–*sym*-tetrabromobenzene 618
 Urea-*n*-heptane 251
- Phase rule concepts
 Applied to DNA oligomers, and comparison with cyclodextrin and TPP complexes 144
- Phase transitions
 Anthracene . . . TCNB 1119
 ESR study 1117
 [Cycl[3.2.2]azine . . . TNB (1st order) 1120
 Critical exponents 1093
 Effect of pressure on T_c
 Ehrenfest relations 1097
 Landau theory 1094–1096
 Naphthalene . . . TCNB 1114
 Neutral to ionic phase transitions
 DMTTF . . . chloranil 1137
 TTF . . . chloranil 1129
 Peierls phenomenon 1104
 Permitted symmetries 1094
 Pyrene . . . PMDA 1097
 Spontaneous strain and Vogt coefficients 1096
 Tricritical point 1104
 3(thiourea).ferrocene 237
 3(thiourea).cyclohexane 240
 3(urea).trioxane 243
- Pi molecular compounds
 Component ratios 952
 Delocalized and localized interactions 1030–1032
 Donor also in interstitial positions 1005–1007
 Flavins 1022–1026
 Infinite stacks 994–1002

- Pi molecular compounds (*cont.*)
- Interactions between polar and polarizable groups 1011–1013
 - Limited stacks 993–994
 - Ternary 953
 - Which structural description is preferred? 1065
- Polyhedral clathrates-overview 348
- Alkylamine hydrates 389–392
 - Peralkylonium hydrate structures 383–389
- Pre-organization 28
- Crown ethers 33, 45
- Quasi-acceptors 939–940
- Polyfluoro-aromatics 1032–1040
- Quinhydrone 1013–1022
- Thermodynamics 1020–1022
- Quinol clathrates
- α -phase 324
 - β -phase (three types) 325–329
 - C₆₀ complex 329
 - C₇₀ complex 330
 - Statistical thermodynamics 333–345
- Segregated stack molecular complexes 9
- Acceptors 1157–1161
 - Cation radical–anion radical salts 1216–1232
 - Bechgaard–Andersen classification 1225
 - Donors 1152–1157
 - Electrochemical preparation 1161–1162
 - Electron density studies 1230–1232
 - Nomenclature 1149
 - Perylene as cation, M(mnt)₂ as anion 1216–1220
 - Weitz type donors 1152
 - Würster type donors 1151
- Self-complexes
- Localized interactions (N, O to halogen) 713–717
 - Localized and delocalized interactions 1059–1064
- Solid solutions
- Conditions for formation 605–607
 - Enantiomers 585
 - Inhomogeneity 620
 - Interblock 622
 - Interstitial 622
 - Substitutional 605
 - Trans*-azobenzene/*trans*-stilbene 608
- Spectroscopy
- Charge-transfer bands 697
 - In layered cyclophanes 961–963
 - Excited triplet state in π - π^* molecular compounds 1089
- Spontaneous resolution on crystallization
- Tri-*o*-thymotide complexes 428
- Stacking
- Crown ether complexes 36
 - in Mixed-stack π -molecular compounds 991–993
 - Staging (intercalation complexes) 516, 525
 - Statistics of organic racemates 567
 - Superdense GICs 530
 - Systems
 - Anthrone-anthraquinone 613
 - Phenazine–N-oxyphenazine 613
- Tantalum sulfide intercalation complexes 540–545
- Tautomers, cocrystallization of 600
- TCNQ anion radical salts 1177–1214
- Average charge on TCNQ moiety 1177
 - Background 1177–1180
 - Cations are metals 1187–1189
 - Cations are organic moieties 1178–1196
 - Diad stacks 1202
 - E/B and R/R overlap modes 1180
 - Infinite stacks 1189–1205
 - Pentad stacks 1204
 - Stacks of limited length 1180–1187
 - Studies over wide range of
 - temperatures 1203–1209
 - Survey of structural results 1211–1214
 - Temperature dependence of
 - conductivity 1212–1214
 - Tetrad stacks 1201
 - Theoretical studies of TCNQ
 - stacking 1232–1233
- Tetraphenylmetalloporphyrins (TPP-M²⁺) as hosts 478–508
- Contrasting coordination and inclusion complexes 480
 - Polymorphism of {(TPP-Zn²⁺)(toluene)₂} 505
 - Use of ‘lattice sections’ 480, 506
 - Varieties of metals 479
 - Varieties of ligands/guests 479
- Thermodynamics
- (Aromatic hydrocarbons... AlBr₃) 734
 - {Benzene... AgClO₄} 768
 - {Benzene... CBr₄} 733
 - Crown ether complexes, in solution 30
 - Enthalpy-entropy compensation in π - π^* molecular compounds 1085
 - of alkali metal GICs 526
 - Methods *see* Appendix
 - π - π^* mixed stack molecular compounds 1083
 - Urea and thiourea complexes 247–251
- Trimesic acid and analogs as hosts 437
- Catenated hexagonal networks 446, 451
 - Quasi-hexagonal non-catenated networks 437–446
- Tri-*o*-thymotide complexes
- Crossed tunnel inclusion 433
 - Hexagonal tunnel inclusion 429
 - Miscellaneous 435

- Spontaneous resolution on crystallization 428
Trigonal clathrates 425
Tunnel type with organometallic guests 431
Tris(5-acetyl-3-thienyl)methane (TATM) complexes 470
TATM conformations 473
Mechanism of formation of complexes 476
[TTF][TCNQ] 1235–1253
Cell dimensions as function of temperature 1243
Charge density wave 1250
Cohesion 1240
Conductivity
 Comparison of values from different laboratories 1237
 Comparison with that of Pb 1150
 Pressure dependence 1251
 Temperature dependence 1236
Crystal structure (300K) 1238
Debye temperature 1240
Historical background 1148–1151
Principal compressibilities 1241
Principal thermal expansion coefficients 1241
Satellite reflections in diffraction pattern 1247–1248
Specific heat 35–60K 1242
Susceptibility as function of temperature 1249
The electrostatic binding energy defect 1240
Thermodynamic parameters 1234
Tunnel hydrates 271
Tunnel inclusion complexes 269–272
 Arrangements of urea spirals 211
 Comparison of structure types 310
 Hydrogen bonded hosts
 Bishop-Dance compounds 251–268:
 Tetragonal complexes 264–267; Trigonal complexes 251–264
 Urea, thiourea and selenourea 204–251:
 Absolute configuration of urea sublattice in hexagonal complexes 218; Guests giving hexagonal urea complexes 207; Guests giving rhombohedral thiourea complexes 209; Guests giving rhombohedral urea complexes 208; Guests giving rhombohedral selenourea complexes 209; Hermann's comprehensive Model 210; Polar guest sequence in rhombohedral thiourea complexes 209; Prototype n-hexadecane complex 219
 Van der Waals bonded hosts
 Cholic acid 281–289
 Deoxycholic acid 272–281
 N-(*p*-tolyl)tetrachlorophthalimide 307–310
 Perhydrotriphenylene (PHTP) 298–307
 Polar guest sequences in tunnels 306
 Modelling diffuse scattering 304
 Spirocyclophosphazenes 281–297
UPS, XPS and SXS of GICs 529
Vegard's rule and Zen's rule 606
Wallach's rule 571
Zr phosphate and phosphonate intercalation complexes 546–551