
Contents

I	Questions, terminology, and underlying principles	1
1.1	Introduction	1
1.2	Essential terminology: parasite, disease, and disease risk	3
1.2.1	What is a parasite?	3
1.2.2	Parasite and disease	3
1.2.3	What is disease risk and how is it measured?	5
1.3	Ecological drivers of primate sociality	8
1.3.1	Between-group resource competition	9
1.3.2	Predation and within-group competition	9
1.3.3	Inter-sexual conflict	10
1.3.4	Infectious disease	10
1.4	Fitness consequences of parasites in wild primate populations	14
1.5	Organizational layout of this book	20
2	Diversity and characteristics of primate parasites	22
2.1	Introduction	22
2.2	Taxonomic diversity of parasites from wild primates	26
2.2.1	Viruses	29
2.2.2	Bacteria	33
2.2.3	Fungi	34
2.2.4	Protozoa	35
2.2.5	Helminths	37
2.2.6	Arthropods	40
2.3	Strategies for parasite transmission	42
2.4	Host specificity and “multi-host” parasites	45
2.5	Virulence: negative effects of parasites on their hosts	48
2.6	Parasite transmission and manipulation of host behavior	52
2.6.1	Causes and consequences of altered behavior	54
2.6.2	Manipulation of primate hosts	54
2.7	Summary and synthesis	55

3	Primate socioecology and disease risk: predictions and rationale	57
3.1	Introduction	57
3.2	Background concepts	61
	3.2.1 Encounter and infection probability	61
	3.2.2 Formulating hypotheses at individual and comparative levels	64
3.3	Host traits and disease risk	65
	3.3.1 Body mass, life history, and individual age	65
	3.3.2 Host population size and density	71
	3.3.3 Social organization, group size, and dominance rank	74
	3.3.4 Reproduction, mating behavior, and sex differences	80
	3.3.5 Ranging behavior, substrate use, and diet	86
	3.3.6 Environmental factors and seasonality	92
3.4	Summary and synthesis	95
4	Host–parasite dynamics and epidemiological principles	98
4.1	Introduction	98
	4.1.1 An historical perspective	98
	4.1.2 Basic terminology and measures of infection	101
4.2	Analytical models of disease spread	103
	4.2.1 Microparasites and compartment models	106
	4.2.2 Macroparasite models	115
4.3	The role of parasites in regulating host populations	117
	4.3.1 Theoretical predictions	117
	4.3.2 Regulation in experimental and natural populations	119
4.4	Heterogeneities and dynamical complexities	122
	4.4.1 Spatial heterogeneity: landscape features and metapopulation dynamics	122
	4.4.2 Host social system	123
	4.4.3 Multi-host dynamics	128
4.5	Summary and synthesis	132
5	Host defenses: the immune system and behavioral counterstrategies	134
5.1	Introduction	134
5.2	Responding to infections: strategies for parasite removal	135
	5.2.1 Immune defenses	135
	5.2.2 Physiological responses and sickness behaviors	148
	5.2.3 Grooming as a means of parasite removal	150
	5.2.4 Medicinal plant use	155
5.3	Preventing infections: strategies for parasite avoidance	159
	5.3.1 Habitat use and ranging behavior	159

5.3.2	Diet	163
5.3.3	Avoidance of arthropod vectors and parasites	165
5.3.4	Parental care	167
5.3.5	Avoiding infected conspecifics	168
5.4	Parasite pressure, mate choice, and sexual selection	170
5.4.1	Direct benefits: selection of uninfected caregivers	171
5.4.2	Avoidance of directly transmitted parasites	171
5.4.3	Indirect benefits of mate choice	172
5.4.4	Parasite status, resistance, and signals for choosing mates	173
5.5	Summary and synthesis	174
6	Infectious disease and primate social systems	176
6.1	Introduction	176
6.2	Variation in primate social systems	178
6.2.1	Chains of transmission within and among primate groups	182
6.3	Disease risk and primate social systems	184
6.3.1	Group size and contagious infections	184
6.3.2	Group size, flying insects, and vector-borne infections	187
6.3.3	Group composition	190
6.3.4	Group spread and contact within groups	190
6.3.5	Dispersal among groups	191
6.3.6	Territoriality and range overlap	192
6.4	Mating systems, sexual behavior, and STDs	193
6.4.1	Mating promiscuity	194
6.4.2	Effect of reproductive skew	195
6.4.3	Testing effects of STD risk on primate mating systems	195
6.5	Impacts of host behavior on pathogen evolution	197
6.5.1	Evolution of virulence	197
6.5.2	Evolution of transmission strategies	200
6.5.3	Coevolution	201
6.6	Methodological approaches to study effects of parasites on host social systems	206
6.6.1	Fields studies	206
6.6.2	Directional tests using comparative methods	208
6.6.3	Incorporating parasites in comparative studies of sociality	209
6.6.4	Modelling approaches	209
6.7	Summary and synthesis	210
7	Parasites and primate conservation	213
7.1	Introduction	213
7.2	Parasites as a cause of wildlife declines	216
7.2.1	Emerging infectious diseases in primates and other wildlife	218

7.3	Disease risk and anthropogenic change	227
7.3.1	Habitat destruction and degradation	227
7.3.2	Reductions in host population size	229
7.3.3	Human impacts on parasite biology	231
7.4	Conservation efforts in response to infectious disease risk	233
7.4.1	Monitoring parasites in wild populations	233
7.4.2	Reserve design and management	235
7.4.3	Captive breeding and semi-free-ranging populations	237
7.4.4	Ecotourism and scientific field research	240
7.4.5	Direct intervention to reduce the impact of disease	241
7.5	Evolutionary considerations and host–parasite biodiversity	244
7.6	Summary and synthesis	244
8	From nonhuman primates to human health and evolution	248
8.1	Introduction	248
8.2	Origins and early history of infectious disease in humans	250
8.2.1	Infectious agents in early human societies	250
8.2.2	Epidemiological transitions and the rise of human pathogens	256
8.3	Human responses to infectious diseases: from Darwinian medicine to public health	261
8.3.1	Behavioral responses to infectious diseases	264
8.3.2	Evolution of immune defenses and resistance traits	269
8.4	Global patterns of disease risk among contemporary human societies	272
8.5	Wild primates and emerging diseases in humans	276
8.6	Summary and synthesis	282
9	Concluding remarks and future directions	285
9.1	Introduction	285
9.2	What is the diversity of parasites in wild primates?	285
9.3	Population biology and impacts of parasites in wild primates	287
9.4	Immune and behavioral defenses: tradeoffs against different infectious agents	289
9.5	What are the links between primate sociality and parasitism?	290
9.6	Are parasites a significant threat to primate conservation efforts?	292
9.7	From primates to understanding human-pathogen interaction	294
9.8	Concluding remarks	295
	References	296
	Index	369

Index

- abundance of parasites 7, 91, 103, 172
- acanthocephalans (thorny-headed worms)
 - 23, 29, 37, 40, 43, 52
- acquired immunity *see* adaptive immunity
- activity, effect of parasite exposure 148, 149
 - see also* sickness behavior
- acute phase responses to parasites 148–9
- adaptive (specific) immunity 136, 137, 138–41
 - quantification 142–3, 144
- Aedes aegypti* 276
 - see also* biting arthropods; mosquitoes
- age and infection patterns 62, 64, 68–71
- agent-based modeling 85–6, 122, 124–7, 194, 210, 238
- aggregation of parasites 103, 104, 115, 119
- aggressive contacts 88, 182, 229
- agriculture, rise of 250, 256
- AIDS *see* HIV/AIDS
- alcoholism, evolutionary roots 264
- allergic reactions 140, 261, 272, 273
- Alouattamyia baeri* 14
 - see also* botfly larvae infections
- Alouatta* spp.
 - A. caraya*, geophagy 158
 - age and disease risk 71
 - A. palliata*
 - fecal contamination avoidance 160
 - fly-swatting behavior 165–6
 - STDs 82
 - yellow fever 16
 - A. pigra*, genetic diversity 230
 - A. seniculus*, parasite-induced mortality 16
 - behavioral defenses 58–9
 - botfly infections 14, 16, 42, 71, 81
 - ectoparasite loads 71
 - fecal contamination avoidance 159–60
 - fly-swatting behavior 165–6
 - genetic diversity, reduced 230
 - grooming patterns 152
 - humans as source of infection 225
 - intensive home range use 228
 - intestinal parasites, effect of moisture levels 94
 - medicinal plant use 155
 - population density, relationship to disease risk 72–3
 - population extirminations 217
 - sex differences in disease risk 86
 - yellow fever epidemic 17
- amphibians, population declines 218, 245
- Ancylostoma* spp. 39
 - see also* hook worms
- Animal Mortality Monitoring Network, Gabon
 - and Republic of Congo 279, 282
- Anopheles* mosquitoes 48, 252
 - see also* biting arthropods; mosquitoes
- Anoplocephala* spp. 39
 - see also* cestodes
- anthrax *see* *Bacillus anthracis*
- anthropogenic effects *see* human activities, impact on wildlife
- antibiotic resistance 34, 201, 226, 261, 273
- antibodies 7, 30–1, 101–2, 132, 136, 140–1, 289
 - infants' acquisition from mother 167, 271
- antibody production, relationship to reproductive effort 80
- antigens 140–1, 148
- anti-parasite strategies *see* defenses
- Aotus* spp. 154, 166, 261, 281
- apparent competition 128, 224
- arboreal primates
 - disease risk 89, 90, 91, 93, 94
 - fecal contamination avoidance 159–60
- Armillifer armillatus* 41, 42
 - see also* tongueworms
- arthropod-borne parasites 36, 39, 43
 - see also* vector-borne diseases

- arthropod repellants 166
 arthropods 3
 avoidance of 58–9, 165–7, 187, 189
 as intermediate hosts 41
 as parasites 41, 42
 as vectors 40–1, 43
Ascaris lumbricoides 18–19, 225, 248
 Ascomycota 35
 Asian primates, phylogenetic relationships 179
Aspilia spp., consumption by chimpanzees 12
Ateles spp. 281
 A. fusciceps, STDs 82
 A. geoffroyi 166
 A. paniscus 242
 attacks from wild primates 240–1, 278
 autogrooming 151, 167
 genital self-grooming 152–3, 154
- B19 virus 281
 baboons *see Papio* spp.
Bacillus anthracis 1, 33–4, 243, 285, 293
 bacteria 3, 27, 33–4, 286
 antibiotic resistance 201, 226, 261, 273
Balanites aegyptiaca, consumption by baboons 12, 156–7
 bald uakaris, sexual selection 13, 173–4
 Barbary macaques *see Macaca* spp.:
 M. sylvanus
- basic reproductive number (R_0)
 definition and compartment models 108–10, 112, 200
 emerging infectious diseases 220–1
 macroparasite models 115
 estimated values 109–10, 260
- Basidiomycota 35
 basophils 137
 B-cells 136, 137, 138, 140
 behavioral manipulation by parasites 44, 52–5, 210–11, 264–5
 behavioral defenses 3, 6, 54, 58–9, 64, 175, 289–90
 against flying insects 165–6, 189
 grooming 150–5
 in humans 262–70, 283, 284
 medicinal plant use 155–9
 parasite avoidance strategies 6, 159–70
 sexual selection 170–4
 sickness behavior 148–50
- benzoquinones, presence in millipedes 166
- Bertiella* spp. 39
 B. studeri 94
 see also cestodes
 biodiversity and effect of pathogens 131, 216
 biodiversity hotspots 293
 biodiversity of parasites 22, 244, 247, 274
 biomedical research, use of primates 24, 234, 245, 249, 262
 bioterrorism 125, 218, 249
 biting arthropods
 behavioral defenses 176, 189, 290
 effect of host grouping 10, 59, 76, 187
 effect of multi-species associations 10, 11
 biting rates, relationship to infection risk 11, 75, 113
 bitter pith chewing 156, 157
 “Black Death” 34, 258, 270
 see also Yersinia pestis
 black howler monkeys *see Alouatta* spp.
 black lion tamarins *see Leontopithecus chrysopygus*
 black spider monkeys *see Ateles paniscus*
 body mass
 relationship to disease risk 62, 64, 65, 66–7, 68–9, 70, 209
 relationship to extinction risk 217
 relationship to spondyloarthropathy 255
 bonnet macaques *see Macaca radiata*
 bonobos *see Pan paniscus*
Borrelia spp. 34
 B. burgdorferi, dilution effect 130–1
 botfly larvae infections
 behavioral defenses 58–9
 in howler monkeys 14, 16, 41, 42, 81, 86
 seasonality 94
 in wild mice 120
 bovine tuberculosis 16–17, 33, 218–19, 257
Brachyteles arachnoides
 medicinal plant use 155
 movement between groups 192
 population size, relationship to parasite prevalence 72
 sexual behavior 193
 breeding season stress 80–1
 brown lemurs *see Eulemur fulvus*
Brucella abortus 82, 110
Brugia spp. 280
 B. malayi 4, 39
 see also filarial nematodes
 bushmeat trade 214, 234, 245, 283
 potential for human infection 24, 163, 278, 279, 280–2

- Cacajao calvus*, color signals 13, 173–4
calicivirus 110–11, 119–20
Callithrix jacchus 82, 83, 145
Candida spp. 35, 36
canine distemper 110–11, 125, 217, 219
canine size, relationship to disease risk 88
captive breeding programs 145, 215–18, 237–40, 293
captive primates 15, 25, 40, 42, 49, 127, 139, 158, 173–4, 238–9, 294
capture of animals 242–3
capuchins *see Cebus* spp.
caregiver hypothesis, sexual selection 171
Carpodacus mexicanus, *Mycoplasma gallisepticum* infection 120, 168, 186
CCR5-Δ32 allele 270–1
CD-4 and CD-8 T-cells 140
see also lymphocytes
Cebus spp.
 C. apella
 grooming of wounds 155
 sleeping site selection 161–2
 C. capucinus, parasite effects on group composition 210
 C. olivaceous, fly-swatting behavior 166
cell-mediated immunity 136, 139, 140, 141
 quantification 142–3, 144
cercariae 24, 40, 53, 134
see also trematodes
Cercocebus spp. 11, 31, 49, 90, 93, 132, 159–60, 191, 277
 C. albigena 76, 82, 159
 C. atys 31, 49, 76, 127, 132, 277
Cercopithecine herpesvirus 1 278
Cercopithecus spp.
 C. aethiops
 foraging 225
 integration into new groups 68–9
 parasite-induced mortality 14, 16
 schistosomiasis 40
 social rank effects 79
 STDs 82
 testicular pathogen 15
 C. ascanius
 effects of habitat destruction 228–9
 tick infestation 151
 C. mitis, metapopulations 123
 group composition, effects of parasites 210
cestodes 37–39, 70, 80, 158
see also tapeworms
chacma baboons *see Papio* spp.: *P. ursinus*
Chagas' disease 254
see also Trypanosoma spp.
charcoal consumption 158
Chelicerata 42
 see also ticks and mites
Cheney, D. L., coloration changes in sick animals 173
chickenpox 254
Chikungunya virus 281
chimpanzees *see Pan troglodytes*
Chlamydia trachomatis 34
cholera 34, 99, 248, 251, 258, 270
classification of parasites 26–42
climate
 relationship to disease risk 92–5, 99, 275–6
climate change 215, 227, 292
 effects on parasite biology 231, 232, 233
Clostridium tetani 34
clothing, human use 266, 267
co-adaptation 202, 208–9
Cochliomyia hominivorax 238–9
co-evolution, host-parasite 32–3, 39, 101, 135, 172, 177, 201–6, 244–7, 250
cognition, effect of parasitism 18–19, 150, 248
colobines 158, 163
 effects of habitat fragmentation 228
 medicinal plant use 155
 symbiotic bacteria 3
 Trichuris prevalence, relationship to population density 72
Colobus guereza 82, 155
coloration, changes in sickness 13, 170, 173–4
commensalism 34, 89
comparative patterns in disease risk 28, 47, 64–95, 208–9, 294
compartment models, microparasites 106–14
complement cascade 136, 137–8
conservation 56, 215–16, 292–4
 bonobos 59–60
 implications of parasites 24, 46, 216
 importance of multi-host parasites 46
 of parasites 244, 245
 population viability analysis 222–3
conservation medicine 216
contact matrices 207, 210, 224, 288
contact patterns 43–5, 72–82, 111–14, 123–6, 130, 184–95, 211, 221, 226, 236, 240, 257, 266, 278, 288, 290–1
contagion indicator hypothesis, sexual selection 171–2
coprophagy 91–2
copulation duration and frequency 82–3, 196
 see also mating promiscuity
cordon sanitaires 243
coronavirus 110–11

- corridors, disease risk 236–7
 corticosteroids 78, 132, 143–4, 147
 co-speciation 24, 32–3, 39, 202–5, 208–9, 244
 costs of host defenses 135, 141–2, 150, 152
 critical community size 99, 111, 123, 257
 cross-species transmission 89, 216, 217, 224, 278–83, 292
 crowding, effects 229, 236
 cryptic female choice 139
Cryptococcus spp. 35
Cryptosporidium spp. 35
Ctenocephalides spp. 42
 culling 106, 215, 243
 cultural practices, impact of parasites 249, 264–6
 cultural transmission, medicinal plant use 158
 cytomegalovirus 43, 82
 cytotoxic T-cells 136, 141, 146
 see also lymphocytes
- day journey length 87
 defecation behaviors 159–61
 see also fecal contamination
 defenses 134–5, 174–5
 grooming 150–5
 immune responses 135–48
 medicinal plant use 155–9
 parasite avoidance 159–70
 physiological responses 148–50
 sexual selection 170–4
 as sign of past parasite pressure 206, 212
 see also behavioral defenses
 defensibility index (D-index) 8, 87
 definitive (primary) host 25
 deforestation *see* habitat destruction
 dengue fever 31, 92, 248–9, 270, 276, 281
 transmission 43, 113
 density-dependent transmission 107, 111–12, 113, 119
 diarrheal diseases 113, 232, 258
Dicrocoelium spp. 40
 D. dendriticum, host behavior manipulation 52
 die-offs *see* population size, effects of parasites
 diet
 effect on host defenses 64
 parasite avoidance 163–5
 relationship to disease risk 63, 91–2
 sickness behavior 150
 dietary stress 92, 229
 differential white blood cell count 142
 digenean trematodes 37, 39
 see also trematodes
 dilution effect 130–1
Dipetalonema 39
 see also filarial nematodes
 direct (simple) life cycles 25, 26
Dirofilaria spp. 39, 280
 see also filarial nematodes
 disease risk 2, 5–7, 10–12, 13, 64–5, 188–9
 effect of host traits 62, 65, 95
 age 68, 69, 71
 body mass 65, 66–7, 68–9
 diet 91–2
 population size and density 67, 71–4, 178, 184–9
 ranging behavior 86–9
 reproductive behavior 80–3
 sex differences 83–6
 social organization 74–80
 terrestrial substrate use 89–91
 environmental factors 92–5
 global patterns in humans 273–7
 dispersal 8, 72, 291
 disease risk reduction strategies 11
 effects of parasite pressure 185–6, 191–2
 spread of parasites 57–8, 63, 88, 235
 domesticated animals 34, 45–6
 as source of infection 125, 218, 226, 250, 256–7, 259, 283, 292
 taxonomic distribution of parasites 27
 dominance rank 9, 64, 68
- eastern equine encephalitis virus 281
 Ebola virus 1, 15, 16, 30, 32, 55, 82, 109, 131, 235, 244, 281, 285, 293, 295
 as cause of population decline 213–14, 216, 217
 conservation plans 292
 model of spread 222–3, 236
 outbreaks in humans 279–80
 seasonal patterns 232
 spatial spread 123
 surveillance 282
Echinococcus spp., host behavior manipulation 54
 ecological immunology 135, 141–2
 ecotourism 215, 226, 236, 240–1
 risk to humans 278–9
 ectoparasites 40–2, 91
 effect on host fitness 266

- relationship to hairiness 266–7
- removal by grooming 150–1
- Eimeria* spp. host behavior manipulation 54–5
- ELISA (enzyme-linked immunosorbent assay) 142
- emerging infectious diseases (EIDs) 34, 125, 129, 218–20, 245, 261–2, 295
- epidemiology 220–1, 273
- in humans 273, 277–83, 284
- sources of infection for primates 221, 223–6
- emigration from groups
 - effects of parasite pressure 185, 186
 - see also dispersal
- encounter-dilution effect 10, 59, 75–6, 77, 187
- endangered species 214, 244–5
 - effects of multi-host pathogens 128, 130
 - genetic diversity 145, 230
 - parasite species richness 230
 - reserve design and management 235–7
- Entamoeba* spp. 36, 280
 - E. coli* 37
- Enterobius* spp. 22, 26, 39
 - E. vermicularis* 251
- environmental factors in disease risk 92–5
- eosinophils 137, 138
- epidemics 15, 17, 28–9, 34, 99, 117, 119–20, 215, 230, 257, 270
- epidemiological transitions 249, 256–62
- epidemiology
 - of emerging infectious diseases 220–1
 - historical perspective 98–101
 - human infectious diseases 273–7
 - mathematical models 103, 105–16
- Erythrocebus patas* 82, 92
- estrous synchrony 181, 190, 209
- estrus duration 153
- Eulemur fulvus* 166, 174
- Eulemur rubriventer* 166
- evolutionary changes in social systems 177
 - role of parasite pressure 183, 184
- evolutionary medicine 262, 264–5, 284, 294
- extinctions
 - of parasites 230, 244, 247
 - role of parasites 216–18, 221
- extra-pair copulation 193
- Fasciola* spp. 40
 - see also trematodes
- fecal contamination 89, 228
 - avoidance 159–60, 164–5
- fecal samples 104, 132, 143, 234
- fecundity
 - effects of parasites 4, 51, 53, 118, 200
 - see also sterility
- feeding of wild primates 240, 241
- female group size, influencing factors 9–10, 180–1
- fever, advantage to host 4, 148–9
- filarial nematodes, transmission 39, 43, 44
- fission-fusion communities 133, 179
- fission of social groups 186
- fitness, effect of parasites 4–5, 14–19, 28–9, 41
- flatworms 37, 38, 39–40
 - see also cestodes, trematodes
- Flaviridae* 31, 58, 148
- fleas 40, 257, 258
- floater individuals 185–6, 191–2, 291
- flukes 37, 38, 39–40, 52
 - see also trematodes
- fly-swatting 165–6
- foliage contamination 164–5
- folivorous diet 91, 155, 156, 182
- food intake, effect of parasite exposure 148, 150, 163–5, 259
- food washing 165, 263
- foraging and parasite avoidance 163–5, 259
- fragmentation of habitat 122–3, 215, 226–9, 235
- free-living stages
 - transmission dynamics 113, 115, 116
- frequency-dependent selection 101, 145, 202
- frequency-dependent transmission
 - 112–14, 221
- frugivorous diet 91–2, 182
- fungi 3, 34–5, 36, 53, 286
- Galagoids demidoff* 83
- Galago* spp.
 - duration of intromission 82
 - G. garnetti* 83
 - pentastomid infections 42
- garbage dump foraging 92, 161, 225–6, 240, 293
- geladas see *Theropithecus gelada*
- gender differences and disease risk 62, 69, 83–6, 126–8, 197
- genetic diversity 233, 238–9, 244–6
 - in captive breeding programs 239
 - loss in small populations 229–30
 - role of host-parasite co-evolution 246–7

- genetic factors in host defenses 134, 143, 145–7
- genital grooming and inspection 82, 152–5, 263
- geographic distribution of infections 276, 293
- geographic information system (GIS) 94, 96–7, 292
- geographic range overlap and sympatric hosts *see* range overlap
- geographic range size, effect on disease risk 88–9
- geophagy (soil consumption) 156, 157–8
- Giardia* spp. 4, 36, 280
- G. lamblia* 37
- Global Mammal Parasite Database 24–5, 234
- glucocorticoid hormones, *see* hormones
- golden-handed tamarins *see* *Saguinus midas*
- golden lion tamarins, *see* *Leontopithecus rosalia*
- golden monkeys, social systems 178
- “good genes” model, *see* sexual selection
- Gorilla gorilla*
- bushmeat trade 279
 - coprophagy 91–2
 - Ebola outbreak 217, 236
 - model of disease spread 222–3
 - humans as source of infection 225
 - intervention in disease outbreaks 242
 - Kahuzi-Biega National Park 235
 - measles vaccination 121–2, 242
 - medicinal plant use 12, 155
 - parasite-mediated mortality 14, 16
 - range overlaps 88, 89
 - risks from ecotourism 240
 - STDs 82
- grooming 6, 124, 150–5, 207, 288
- as defense strategy 64, 263
 - effects of parasite pressure 185, 190, 191
 - of mammary glands 167
 - transmission of infections 57–8, 182
 - see also* allogrooming; autogrooming
- group composition 180–1
- effects of parasite pressure 185, 190, 209, 210
- group-living 58–60, 176
- see also* social systems
- group size 8, 9, 209
- effects of parasite pressure 181–5
 - relationship to disease risk 11–12, 62, 64, 68, 74–8, 178, 187, 206
 - contagious infections 184–7
 - vector-borne diseases 187, 189
- group spread, effects of parasite pressure 185, 190–1
- Guinea baboons *see* *Papio* spp.: *P. papio*
- habitat destruction 72, 207, 214, 215, 227–9, 231, 237, 238
- habitat fragmentation *see* fragmentation of habitat
- habitat use 12, 61, 68
- Haemophilus influenzae* 34
- hamadryas baboons *see* *Papio hamadryas*
- hanuman langurs *see* *Presbytis entellus*
- harbor seals, morbillivirus epidemics 117
- Heligmosomoides polygyrus* infection, effects in mice 18, 80, 120–1
- helminths 3, 37–8, 47–8, 69–71, 120–1
- infections in humans 252, 280
 - reduction of host fecundity 118
 - transmission 44–5, 113
 - see also* ancanthocephalans; cestodes; nematodes; trematodes
- hepatitis virus 43, 82, 109, 146, 281
- herd immunity 112, 242
- herpesviruses 15, 31–2, 43, 49, 82, 197, 251, 254, 266, 278–9
- heterogeneities and parasite dynamics 122, 288
- in host social system 123–5
 - multi-host species 125, 128, 130–1
 - spatial 122–3
- heteroxenic (indirect) life cycles 25, 26, 36
- Histoplasma capsulatum* 35, 36
- HIV/AIDS 2, 24, 110, 126, 136, 148, 218, 251, 270–1, 273, 277–80, 284, 295
- HLA (human leucocyte antigen) region 145, 146, 267–8
- see also* major histocompatibility locus
- home range size and overlap 63, 87–8, 182, 184–5, 192–3, 291
- homosexual behavior, bonobos 59
- hookworms 39, 44, 94
- hormones 64, 78, 83–4, 132, 143–4, 147, 150, 157, 173, 234, 285
- see also* corticosteroids; testosterone
- host defenses *see* defenses
- host manipulation by STDs 197
- see also* behavioral manipulation by parasites
- host population cycles 118, 119
- host-sharing *see* multi-host parasites
- host-shifting 55, 202, 203–4, 217, 247
- from domestic animals to humans 250, 256–7
 - from wild primates to humans 278–83
- host specificity 32, 45–8
- host traits and disease risk *see* disease risk

- house finches
see *Carpodacus mexicanus*
- howler monkeys *see* *Alouatta* spp.
- human activities, impact on wildlife 214, 215, 218, 227, 245, 227–30, 245
- human civilization, loss of parasites 259, 261–2, 273
- human infectious diseases 2, 46, 248–9, 251, 283–4
 as source of wild primate infection 221, 224–6, 237, 238, 240–1
 behavioral responses 262–70
 behavior changes in toxoplasmosis 55, 262, 264–5
 emerging infectious diseases 277–83
 epidemiological transitions 256–9, 261–2
 global patterns of disease risk 273–7
 HLA complex 145, 146
 mobility, disease spread 258–9
 origins of malaria 253–4
 parasites in early societies 250, 252, 254–6
 parasite-mediated selection 270–3
 risks from primate diseases 32, 34, 285
 smallpox eradication 260–1
 taxonomic distribution of parasites 27
- human T-lymphotrophic viruses (HTLVs) 278
- humoral immunity 136, 139, 140–1
 quantification 142, 144
see also adaptive immunity, antibodies
- hunter-gatherers, infectious diseases 250, 252, 254
- hunting 2, 214, 245, 278, 280, 283
see also bushmeat trade
- Hylobates* spp. 82
H. syndactylus, parasite-induced mortality 15, 16
- Hymenolepis* spp. 39
see also tapeworms
- hypobiosis 37–8
- immigration into new groups 11, 168–9, 176, 177, 291
 effects of parasite pressure 185, 186, 191–2
 transmission of novel pathogens 184
- immune responses 6, 64, 78, 84, 112, 135–7, 142–3, 167, 175, 229, 289, 290
 adaptive immunity 138–41
 in captive breeding programs 238
 costs and tradeoffs 141–2
- effect of fever 149
 effect of population isolation 229
 effect of pregnancy 80
 evasion by parasites 147–8
 genetic factors 143, 145–7
 human 271–2
 innate immunity 137–8
 key organs and tissues 141
 links with nervous system 150
 maladaptive 272–3
 quantification 142–3, 144
- immunocompetence handicap hypothesis 173
- immunoglobulins (Ig) 140
- inbreeding 229–30
 avoidance 147, 181
- indirect life cycles *see* heteroxenic life cycles
- individual-based models *see* agent-based models
- individual variation in disease risk 64, 103, 105
- Industrial Revolution, effect on human diseases 259, 261
- infanticide 8, 10, 170, 195
 role in avoidance of infections 168
- influenza 31, 240, 250, 257, 270, 281
- innate (non-specific) immunity 136, 137–8, 142, 144
- insects
 as source of infection 237
see also arthropods, vector-borne diseases
- intensity of infection 7, 102–3
- intergroup encounters 185, 291
- inter-individual distances 190–1
- inter-sexual conflict 10, 181
- intestinal parasitism, effects of age 69, 71
- intra-sexual competition *see* sexual selection
- intromission duration and frequency 82–3
- Isospora* spp., transmission 43
- IUCN Red List 214, 293
- Japanese encephalitis virus 281
- Japanese macaques *see* *Macaca fuscata*
- Kahuzi-Biega National Park, gorilla groups 235
- kin, interactions with 9, 78, 147, 151, 169, 178, 182, 190, 207
- Kyasanur forest virus 281

lactation, as cause of stress 80–1
Lagopus lagopus scoticus 18, 101, 120
 landscape features, role in disease spread
 96–7, 122–3, 244
 langurs, *see Presbytis* spp.
 latitude
 relationship to disease risk 93, 209,
 232, 275
 leaf-eating 91, 155–6, 158, 164–5,
 182
 see also diet, medicinal plant use
 learning ability, effect of parasites
 see cognition
Leishmania spp. 35, 36, 270, 280
 L. tropica, immune response 148
Lemur catta, allogrooming 57–8
Leontopithecus chrysopygus 236
Leontopithecus rosalia 238
 leprosy 271
Leptospira spp. 34, 43, 89, 232
 L. interrogans 33
 lethargy 149–50, 169
 see also sickness behaviours
Leucochloridium paradoxum, host behavior
 manipulation 52, 53
 leukocytes *see* white blood cells
 lice 42, 79, 251, 252, 257
 host age, relationship to infection risk
 70, 71
 phylogenetic studies 267
 life cycles of parasites 25
 helminths 37–8, 39
 malaria 253
 protozoa 35–6
 lions
 canine distemper 219
 inbreeding 229
 virus infections 31, 110–11
Loa loa 39
 logging, *see* habitat destruction
 London, cholera epidemic 99
 longevity and relationship to disease risk
 45, 62, 68, 70–1
 long-tailed macaque *see Macaca*
 fascicularis
 lung mites *see Pneumonyssus simicola*
 lungworms 44, 80
 Lyme disease 96–7
 dilution effect 130–1
 lymphocytes 136, 137, 138
 development and migration 141
 see also B-cells; T-cells; natural
 killer cells

Macaca spp.
 medicinal plant use 155
 M. fascicularis 180
 dominance rank, effect on disease risk 79
 M. fuscata, grooming 151
 M. mulatta,
 color signals 13
 lung mite infections 42
 RhPV-1 infection 15
 sexual selection 174
 white blood cells 138
 M. radiata 226
 M. silenus, metapopulations 123
 M. sylvanus
 contact with humans 240–1
 parasite effects on group composition 210
Pneumocystis carinii infection 35
 social systems 178
 STDs 82
 washing of food 165, 263
 macroparasites 3, 28–9
 helminths 37–40
 host population regulation 118, 119
 mathematical models 115–16
 patterns of aggregation 103–4, 115, 119
 macrophages 136, 137
 major histocompatibility complex (MHC) 134,
 143, 145–7, 271, 290
 role in sexual selection 173, 267–8
 malaria 2, 24–5, 43, 48, 68, 70, 77, 92, 97, 109,
 146, 148, 216, 248–9, 251, 280, 292
 see also Plasmodium
 avoidance strategies, sleeping behavior 166–7
 encounter probability 61, 64
 human
 diversity and origins 252–4
 evolutionary responses 253, 270
 life cycle 253
 transmission dynamics 113
 vector behavioral manipulation 210
 males 67
 dispersal 186, 190
 expression of good health 12–13
 prevalence of infection 84, 85, 128
 STDs 126–7
 sexual selection 170, 171, 174
Mandrillus sphinx
 color signals 13
 STDs 82
 territorial behavior 88
 mangabeys *see Cercocebus* spp.
 mantled howler monkeys *see Alouatta* spp.:
 A. palliata

- marmosets *see Callithrix jacchus*
- “mass action” processes 111–12
- mate choice *see* sexual selection
- mating promiscuity
- relationship to white blood cell count 6–7, 139
 - STD risk 59–60, 62, 81–2
- mating skew 81, 126, 194, 195
- mating synchrony 181, 190, 209
- mating systems and influence of sexually transmitted diseases 193–7
- Mayaro fever virus 276, 281
- measles 31, 109, 110, 250, 251, 281
- critical community size 257
 - epidemiologic studies 99
 - origin of human disease 256–7
 - outbreak in gorillas 225
 - persistence threshold 111
 - risks from human contact 240
 - vaccination program 121–2, 242
- medicinal plant use 12, 64, 72, 134, 155–9, 169, 284, 289
- by humans 268–9
- membrane attack complex (MAC) 136, 138
- metapopulation models 72, 123, 235–6
- MHC Class I loci *see* major histocompatibility locus
- Microcebus murinus* 83, 162
- microparasites 3, 28–9
- bacteria 33–4
 - compartment models 106–14, 117
 - fungi 34–5, 36
 - protozoa 35–7
 - viruses 29–33
- millipedes (*Orthoporus dorsovittatus*), use as mosquito repellent 166
- Miopithecus talapoin*, STDs 82
- mites 42, 252
- see also* arthropods, Chelicerata
- mixing matrices 122, 124, 207
- modeling 98, 100, 103, 105–6, 132–3, 211, 288
- of Ebola spread 222–3
 - of heterogeneities *see* heterogeneities and parasite dynamics
 - host population regulation 117–19
 - macroparasite models 115–16
 - metapopulation models 123, 235–6
 - microparasite compartment models 106–14
 - of sexually transmitted disease dynamics 126–8, 194
 - of transmission from reservoir hosts 223–4
- moisture, relationship to disease risk 63, 92, 93–4, 99
- molluscan intermediate hosts 39, 40
- see also* snails
- monitoring *see* surveillance of parasites
- monkeypox virus 31, 281
- monocytes 137, 138
- monogamy 10, 81, 175, 193
- in humans 265
 - influence of STDs 194, 196
- monoxenic (direct) life cycles 25, 26
- morbillivirus 109, 111, 117, 120, 125, 217–19, 222, 235, 256, 281
- morning sickness, adaptive role 265
- mosquitoes 3, 39, 65
- Anopheles* spp. 48, 252
 - anthropogenic effects 231
 - group size effects 77–8, 187
 - as host for *Plasmodium* spp. 25
 - as vectors of yellow fever 276
 - see also* arthropods; biting arthropods; vector-borne diseases
- mouse lemur *see Microcebus murinus*
- Multiceps servalis* 17
- multi-host parasites 45–6, 48, 55, 131, 286, 292
- dynamics 125, 128, 130–1, 223–4
 - emerging infectious diseases 218, 277
 - transmission strategies 43–4
- muriquis *see Brachyteles arachnoides*
- Mycobacterium* spp. 34
- M. bovis* *see* bovine tuberculosis
- Mycoplasma* spp. 82
- M. gallisepticum* infection, house finches 120, 168, 186
- mycoses 35
- myxomatosis 119, 131, 202,
- Nasalis* spp., social systems 178
- Nasua narica* 166
- natural killer (NK) cells 136
- Necator* spp. 39
- negative binomial distribution 104, 115
- Neisseria gonorrhoeae* 34
- nematodes (roundworms) 14–15, 18, 37, 38–9
- effect of moisture levels 94
 - effect of whole leaf swallowing 157
 - relationship to habitat destruction 228–9
 - transmission 44, 161
- nervous system, links with immune system 35, 53, 150, 197
- nest fumigation hypothesis 163
- nest-use 162–3

- network models 125, 207
 neutrophils 136, 137, 138
 see also leukocytes; white blood cells
 Nipah virus 218
 non-invasive sampling 31, 132, 143, 282
- Oesophagostomum* spp. infections
 genetic analysis 226
 relationship to habitat destruction 228–9
 seasonality 94
 transmission 161
 olive baboons *see Papio* spp.: *P. anubis*
 omnivorous diet 92
 opsonization 136, 137–8
 oral-genital contact, spread of STDs 266
 orangutans, *see Pongo pygmacus*
 ordinary infectious diseases (OIDs), transmission dynamics 114
Orthoviridae 31
Ovis aries, parasite-induced population regulation 18, 19, 120
 owl monkeys *see Aotus* spp.
- pain reduction, medicinal plant use 155, 156
Pan paniscus
 medicinal plant use 12, 155
 parasite effects on group composition 210
 sexual promiscuity 59–60
Pan troglodytes 16, 94, 230,
 avoidance of sick individuals 168
 coprophagy 91
 humans as source of infection 225, 240
 intervention in disease outbreaks 24
 medicinal plant use 12, 155, 156, 157, 158
 model of Ebola spread 222–3
 parasite-mediated mortality 14, 16
 parental care, effect of sickness 171
 polio vaccination 242
 sickness behavior 149, 268
 SIV infection 31, 278
 evidence for ancient pandemic 49, 146, 230
 soil consumption (geophagy) 12
 STDs 82
 sympatry with gorillas 89
 papillomaviruses 15, 30, 31, 43, 82, 254
- Papio* spp.
 age effects on infection risk 69, 71
 bovine tuberculosis 16–17, 33, 218–19
 cystercerci 39
 dispersal 88, 186
 garbage dump foraging 225–6
 group size effects 76
 hallucinogenic plants use 159
 helminth infections 69
 home range use 87
 humans as source of infection 225
 medicinal plant use 12, 155, 156–7
P. anubis
 distribution of *S. mansoni* infection 104
 parasite-induced mortality 16
 social rank effects 79
P. cynocephalus,
 age effects on infection risk 69
 pregnancy, effect on disease risk 80–1
 sleeping site selection 160–1
 social rank effects 78–9
 pentastomid infections 42
P. hamadryas 79, 90, 154, 164, 179
P. papio
 sleeping site selection 161
 S. mansoni infection 92
P. ursinus
 helminth infections 69
 parasite-mediated mortality 14, 17
 tick infestations 151
 schistosomiasis 40, 64, 225
 seasonality of infections 94
 sex differences in disease risk 86
 sickness recognition 168
 water-borne disease 90
 parasite avoidance
 avoidance of arthropods 165–7
 avoidance of infected conspecifics 168–70
 dietary factors 163–5
 fecal contamination 159–60
 nest-use 162–3
 parental care 167–8
 ranging behavior 160
 sleeping site selection 87, 160–2, 175, 219,
 263, 284
 parasite loss, human civilizations
 259, 261–2, 273
 parasite pressure
 effects on dispersal 191–2
 effects on human evolution 270–3
 effects on group composition 190
 effects on group size 184–9
 effects on group spread 190–1

- effects on territoriality 193
- parasites, definition 3–5
- parasite species richness 6, 56, 244, 285–7
 - in endangered species 230, 231
 - group size effects 76
 - humans 255, 274, 275
 - relationship to host diet 91
 - relationship to host population density 72, 73–4
 - relationship to latitude 93, 232, 275
 - relationship to terrestrial substrate use 89–90
- parasite surveillance *see* surveillance of parasites
- paratenic hosts 37
- parental care 43, 80, 170–2
 - role in avoidance of infections 167–8
 - sexual selection 171
- parturition, risk of parasite acquisition 80
- parvovirus 110–11
- patas monkeys, *see* *Erythrocebus patas*
- Pedicinus* spp. 42
- Pediculus humanus* 251
- penile spines 82, 83, 196–7
- pentastomids 41, 42
 - see also* tongueworms
- personality traits, link with toxoplasmosis 262, 264–5
- phagocytic cells 136, 137
 - see also* leukocytes, neutrophils; monocytes
- phocine distemper virus 109, 111, 120, 219
- phylogenetically independent contrasts 66, 67
- phylogenetic comparative studies 24, 65, 66–7, 208–9
- phylogenetic signal 66
- Physaloptera caucasica* 85
- physiological responses to parasites 148–50
- pinworms (nematodes) 22, 26, 39, 252
 - co-speciation 204, 244
 - host shifting 48
 - as human parasite 251
 - transmission 43, 44
- pith chewing 156, 157
- plague 34, 217, 251, 258, 270, 271
 - see also* *Yersinia pestis*
- plants *see* medicinal plant use
- Plasmodium* spp. 25, 35, 36, 43
 - behavioral changes in host 54
 - diversity and origins of human disease 252–4
 - P. brasilianum* 58
 - P. falciparum*, host specificity 48
 - P. vivax* 37
 - see also* malaria
- Platyhelminthes 37
 - see also* cestodes; trematodes
- Pneumocystis carinii* 35
- Pneumonyssus simicola* 41–3
- polio 109, 110, 225, 242, 281
- polygyny 8
 - in humans 267
 - influencing factors 190
 - spread of pathogens 12, 125, 126, 127
- polyspecific associations 11, 77, 89, 187
- Pongo pygmaeus* 82, 238–9
- population declines *see* population size, declines caused by parasites
- population density 68, 74
 - effect of habitat fragmentation 228
 - human 274, 283
 - relationship to disease risk 62, 67, 71–4
 - relationship to infection risk 45
 - in reserves 236
- population size
 - declines caused by parasites 16, 213–26
 - effects of parasites 4–5, 99, 117, 132, 287–8
 - empirical studies 119–22
 - theoretical predictions 18, 117–19
 - relationship to disease risk 62, 65, 71–4, 184–7, 257
 - and STDs 201
- population sub-division 235, 237
- population viability analysis (PVA) 222–3
- Poxviridae* 31
- predation 22, 95
 - association with group size 9, 181
 - comparison with parasitism 212
 - effect of parasites 18, 54
 - on other primates 91
- predators, risks from infected prey 163
- pregnancy
 - effect on disease risk 80–1
 - mating during 265
- Presbytis* spp. 82
- P. entellus* 180
- prevalence of infection 7, 101–2, 234
 - gender differences, STDs 126–8
- prevention of infections *see* behavioral defenses; defenses
- primary (definitive) host 25
- prion diseases 269
- proboscis monkeys *see* *Nasalis* spp.
- Procolobus badius* 123
- Procolobus verus* 82
- promiscuity *see* mating promiscuity
- Propithecus verreauxi* 155
- Prosthernorchis elegans* 22, 23

- protozoa 3, 35–7
 host specificity 47
 transmission 44, 45
 provisioning of wild primates 240, 241
- quarantines 11, 75, 88, 106, 168–9, 188, 235–9
- R_0 *see* basic reproductive number 132
- rabies 88, 109, 110, 125, 251
 host behavioral changes 53, 54
 origins of human disease 257
 spatially explicit models 122–3
 spread in foxes 88
 vaccination 96, 111, 243
- rainfall, relationship to disease risk 63, 92, 93–4, 99, 231, 232
- range overlap
see home range size and overlap
- ranging behavior 8
 effect on disease risk 63, 86–9
 parasite avoidance 160
see also territoriality
- rank *see* social rank
- red bellied lemurs *see* *Eulemur rubriventer*
- red colobus monkeys *see* *Colobus badius*
- red coloration, *see* coloration
- red grouse *see* *Lagopus lagopus*
- red howler monkeys *see* *Alouatta seniculus*
- red-tailed guenons *see* *Cercopithecus ascanius*
- reindeer (*Rangifer tarandus*)
 antler symmetry 174
 intestinal parasites 69
 warble fly avoidance 160
- reproductive behavior, effect on disease risk 80–3, 141
- reproductive skew 81, 126, 194, 195
- reproductive status, relationship to disease risk 11–12, 62
- reserve design and management 215, 222, 235–7
- reservoir hosts 119, 216, 236, 257–8
 consideration in reserve design 237
 culling, evaluation of 106
 dilution effect 130–1
 effects on host-parasite dynamics 128
 emerging infectious diseases 221, 223–6
 primates as 279, 280
 vaccination 243
 for yellow fever 276
- resource competition 9, 22, 181
 effect of multi-host pathogens 128
- resource intake, relationship to disease risk
see diet
- rhesus macaques *see* *Macaca* spp.: *M. mulatta*
- Rhinophaga* spp. 42
- Rhinopithecus* spp., social systems 178, 181
- Rhipicephalus* spp., infestation of chacma baboons 151
- RhPV-1 infection 15
- rinderpest 131, 219
 model of spread 223–4
- ring-tailed lemur *see* *Lemur catta*
- road-building, potential for spread of infection 280
- rodents as reservoir hosts 237, 256, 257–8
- rotavirus infections 248, 281
- roundworms *see* nematodes
- rubella 257
- ruffed lemurs *see* *Varecia variegata*
- rufous lemurs *see* *Eulemur fulvus rufous*
- Saguinus midas*, sleeping site selection 161
- Saimiri* spp. 22, 154, 204, 287
- St Louis encephalitis virus 281
- Salmonella* spp. 34, 258
 infections in captive breeding programs 239
S. typhi 34
- sampling biases 27–8, 48, 102, 255, 286–7, 292–3
- Sarcocystis* spp. 36
- SARS (sudden acute respiratory syndrome) 55, 109, 218, 295
- scabies 240, 266
- Schistosoma haematobium* 38
- Schistosoma japonicum*, host specificity 48
- Schistosoma mansoni*
 infection, distribution in olive baboons 104
 temperature effects 93
- schistosomiasis 26, 40, 85, 92, 101, 148, 225–251, 269
 avoidance strategies 164
 climate effects 232
 disease risk in baboons 64, 69, 70, 71
 transmission 43, 90, 184

- schizophrenia, link with toxoplasmosis 55, 262, 264–5
- school children, effect of *Ascaris* infections *see* cognition
- screwworm larvae (*Cochliomyia hominivorax*) 238–9
- seasonal factors in disease risk 63, 65, 92–5, 232
- secondary (intermediate) hosts 25
- secondary sexual characteristics, role in sexual selection 12–13, 171–2, 172–3
- selfish herd effect 189
- self-annointing behavior 166
- serology 142, 144
detection of viral infections 30–1
- seroprevalence estimation 7, 101, 102
- sex differences
disease risk 83–6
prevalence of infectious diseases 62, 69
- sexually transmitted diseases 6, 15, 31, 43, 44, 45, 88, 183, 201, 270, 242, 290,
avoidance strategies 172, 175
bacterial 34
behavioral defenses, humans 263, 265–7, 284
as cause of sterility 53, 210
dynamics 124, 126–8
frequency-dependent transmission 112, 114
genital grooming, effectiveness 153, 155
host behavior manipulation 53, 54
host defenses, white blood cells 139
influence on mating systems 193–7
prevalence
gender differences 62, 85, 86, 126–8, 197
relationship to population density 72
relationship to age 68
relationship to social rank 78
- risk factors for 81–3
mating promiscuity 59–60, 62, 194–5
virulence 51, 198, 199
- sexual selection 12–13, 170–1, 174, 195–6, 267
avoidance of parasite transmission 171–2
caregiver hypothesis 171
expected effects of parasite pressure 185
good genes model 172–3
in humans 267–8
indirect benefits 172–3
maintenance of MHC variation 147
role of parasite status 173–4
and STD prevalence in females 85
and STD virulence 199
- Shigella* spp. 34, 232, 248, 258
- siamang *see Hylobates syndactylus*
- sickle-cell anemia, parasite-mediated selection *see also* malaria 270
- sickness awareness 168–70, 190, 207, 289–90
- sickness behaviors 148–50, 169, 207
in humans 268–70
- sifakas *see Propithecus verreauxi*
- signs of infection, relationship to virulence 199
- Simbu virus 281
- Simian Agent 8, 15
- simian foamy virus (SFV) 31, 32, 82
co-speciation 33, 204, 244
human infection 278
- simian herpesvirus *see* herpesviruses
- simian immunodeficiency virus (SIV) 1, 24, 30, 32, 43, 49, 82, 136, 146, 230,
acquisition through predation 163
detection of infection 31, 132
origins of HIV/AIDS 277–8
prevalence 280
gender differences 126–7
- simian T-cell leukemia viruses (STLVs) 82
prevalence, gender differences 126–7
- simple (direct) life cycles 25, 26
- Sindbis virus 281
- Sin Nombre virus 131
- SIR (susceptible, immune, recovered) models *see* compartment models; epidemiological models
- sleeping in huddles 190
- sleeping site selection 64, 87, 160–2, 166–67, 175, 219, 263, 284
- slow loris *see Nycticebus coucang*
- smallpox 109, 250–1, 259–61, 271
- snails 39, 40
behavior manipulation 52, 53
co-evolution with trematodes 101
- snub-nosed monkeys, *see Rhinopithecus* spp.
- Soay sheep (*Ovis aries*), parasite-induced population regulation 18, 19, 120
- social customs, impact of parasites *see* cultural practices
- social network theory 122, 125, 130, 207
- social organization 8, 178–81, 188–9, 209–10, 290–2
relationship to disease risk 74–80, 176–8, 180–3, 211–12
- social rank, relationship to disease risk 11–12, 62, 78–80
- social-sexual crossover point (SSCP) 114, 201
- soil consumption *see* geophagy
- sooty mangabees, *see Cercocebus atys*
- spatial epidemiology 72, 96–7, 122–3
- specialization of parasites 45, 47–8
- spices, human use 265, 268–9
- spider monkeys (*Ateles geoffroyi*) 166

- spiruroid nematodes 44
spleen 89, 141, 143, 144
spondyloarthropathy 252
spumavirus infections 101
squirrel monkeys *see Saimiri*
Staphylococcus aureus 34
status *see* social rank
sterility 118
 due to parasite infection 4, 49, 116
 effect on spread of STDs 53, 197, 210
 and parasite virulence 51, 200
STLVs *see* simian T-cell leukemia viruses
Streptococcus spp. 33, 34
stress
 effect on disease risk 78
 effect on host defenses 64
 effect on immune responses 147
 reproductive causes 80
 see also hormones
stress levels, assessment of 132, 142, 143
Strongyloides spp. 26, 39
 host age, relationship to infection risk 71
 S. fuelborni 94, 280
 transmission 43, 161
substrate use, effect on disease risk 89–91, 182
Succinea spp. trematode infection 53
“super-spreaders” 81, 125, 126, 288
surveillance of parasites 233–4
 in captive breeding programs 237–9
 data collection 132–3
 emerging infectious diseases 282
susceptibility to diseases 64, 67, 83
 human-nonhuman primate differences 283–4
 see also immune defences
Sylvilagus floridanus, endoparasites 18
syphilis 34, 251
 origins 255
 virulence evolution 199–200
 see also *Treponema* spp.
- Taenia* spp. 280
 T. saginata 38
 T. serialis 17
 infection of gelada baboons 39
 see also tapeworms
tapeworms 17, 37–9, 252
 effect of whole leaf swallowing 157
 host behavior manipulation 54
 T-cells 136, 137, 138, 140, 141
 see also lymphocytes
 quantification of response 142–3
 temperature, relationship to disease risk 63,
 92–3, 99
 terrestrial substrate use, effect on disease risk
 89–91
 territoriality 8, 291
 effect on disease spread 88, 184
 effects of parasite pressure 185, 193
 relationship to disease risk 63, 160
 testes mass, as surrogate for mating
 promiscuity 65
 testosterone, effect on immunocompetence 67,
 78, 80, 84, 128, 173
 see also hormones
Theropithecus gelada 70, 80, 94, 179, 280
 parasite-induced mortality 17
 STDs 82
 tapeworm infestations 17, 39
thorny-headed worms *see* acanthocephalans
threadworms (*Strongyloides* spp.) 39, 44
threshold host density
 and frequency-dependent transmission 114
 macroparasite models 115
 microparasite models 110–11, 112
thylacine (*Thylacinus cynocephalus*),
 extinction 217
thymus 141, 143, 144
ticks 40, 42, 97, 150–1
 infestations 14, 17, 152
 see also arthropod-borne parasites
Tirchostrongylus falculatus 94
tongue worms (pentastomids) 41, 42
Toxoplasma gondii infection (toxoplasmosis)
 35, 125
 in captive breeding programs 239
 host behavior manipulation 52–3, 55
 link with personality traits 262, 264–5
 transmission 43, 257
transmission 42–7, 107–10
 between groups 182, 184
 frequency- and density-dependent 111–14
 during grooming 57–8
 within groups 182
Trattinnickia aspera, use in grooming 166
tree-hole use 64, 162–3
trematodes 37, 38, 39–40
 co-evolution with snails 101
 host behavior manipulation 52, 53
Treponema-like infection, baboons 15
Treponema pallidum 199, 251, 253

- Treponema pertenu* 34
Trichinella spiralis 80
Trichomonas spp., transmission 43
Trichostrongylus spp.
 transmission 161
 T. tenuis 101
Trichuris spp. (whipworm) 39, 44, 94, 240,
 273, 280
 prevalence, relationship to host population
 density 72
Trypanosoma spp. 35–7, 43, 55, 92, 148, 254,
 280
 trypanosomiasis 97, 292
Trypanoxyuris 26
 tsetse flies, effect of trypanosome infection 55
 tuberculosis 34, 238, 251
 origins of human disease 257
 risks from human contact 240
 transmission 182
 see also bovine tuberculosis
 tufted capuchins *see Cebus apella*
 typhoid fever 34
 typhus 251, 257

 uakaris *see Cacajao calvus*
 urbanization, effect on human diseases
 257–8, 276
 urination, post-copulatory 263

 vaccination 215, 238, 241, 242–3
 against rabies 96
 against smallpox 260–1
 evaluation of 106
 limitation of pathogen persistence 111, 112
 of wild primates 121–2
Varecia variegata, captive breeding program 239
Varicellovirus (varicella zoster virus) 31, 254
 transmission 43
Variola virus 260
 see also smallpox
 vector-borne diseases 31, 36, 39, 43, 130, 134, 291
 anthropogenic effects 231–2
 behavioral defenses 263
 distribution mapping 97
 environmental factors 92–3
 group size effects 75–6, 77–8, 187, 189
 impact on humans 248–9
 relationship to population density 72
 transmission dynamics 113
 see also arthropod-borne parasites
 vectors 3, 40–1, 44
 behavioral effects of parasites 4
 venereal diseases *see* sexually transmitted
 diseases
Veronia amygdalina, chewing by
 chimpanzees 156
 vertical transmission 43–4, 51
 vervet monkeys *see Cercopithecus aethiops*
 veterinary intervention in disease outbreaks
 see direct intervention
Vibrio cholerae 34, 251, 258
 see also cholera
 virulence 48–9, 52, 234, 286
 effect of multiple host species 131
 evolution of 49–51, 169, 177, 197–200
 host-dependence 49
 mechanisms of 49
 relationship to host density 117, 118
 trade-off hypothesis 50–1
 viruses 3, 29–33
 evasion of host immune defenses 148
 host specificity 47, 48
 human infections 254
 transmission 44

 warble fly 4, 76
 avoidance by reindeer 160
 warbles, botfly larva infections 42
 washing of food 165
 water-borne diseases 71, 90, 92, 257
 water contamination 46, 51, 87, 164, 232
 wedge-capped capuchin monkeys *see Cebus
 olivaceus*
 western equine encephalitis virus 281
 West Nile Virus 55, 218, 248
 whipworm *see Trichuris* spp
 white blood cell count 142, 144
 comparative studies 139, 143
 phylogenetic associations 66
 relationship to body mass 68, 69
 relationship to mating promiscuity 6, 7, 81
 white blood cells (leukocytes) 136, 137, 138

white-nosed coatis *see Nasua narica*
whole leaves, medicinal use 156, 157, 158
wild dogs (*Lyaon pictus*)
 risks of handling 243
 virus infections 31
wounds, grooming of 153, 155
Wuchereria bancrofti 4, 267
 see also filarial nematodes

yaws 88, 251, 255
 see also Treponema spp.

yellow baboons *see Papio cynocephalus*
yellow fever 15, 16, 17, 31, 58, 92, 131, 270,
 276–7, 281
 population exterminations 217
 primate studies 24, 186
Yersinia pestis 17, 34, 251, 258
 see also plague, Black Death

Zika virus 281
zoonotic diseases 48, 225, 255, 257, 277,
 279–80, 282, 295